

The most cited LPD works

(last updated on 5.05.2024)

1	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data – an update.</i> At. Data Nucl. Data Tables 80(2002)83-116.	367
2	F.A.Danevich et al. <i>Search for 2β decay of cadmium and tungsten isotopes: Final results of the Solotvina exper.</i> Phys. Rev. C 68(2003)035501, 12 p.	236
3	V.I.Tretyak and Yu.G.Zdesenko. <i>Tables of double beta decay data.</i> At. Data Nucl. Data Tables 61(1995)43-90.	226
4	C.Arpesella et al., <i>Direct measurement of the ^7Be solar neutrino flux with 192 days of Borexino data.</i> Phys. Rev. Lett. 101(2008)091302, 6 p.	218
5	V.I.Tretyak. <i>Semi-empirical calculation of quenching factors for ions in scintillators.</i> Astropart. Phys. 33(2010)40-53.	217
6	O.A.Ponkratenko et al. <i>Event gen. DECAY4 for simulation of double-beta proc. and decays of radioactive nuclei.</i> Phys. Atom. Nuclei 63(2000)1282-1287.	168
7	G.Bellini et al., <i>Precision measurement of the ^7Be solar neutrino interaction rate in Borexino.</i> Phys. Rev. Lett. 107(2011)141302, 5 p.	160
8	R.Arnold et al., <i>Probing new physics models of neutrinoless double beta decay with SuperNEMO.</i> Eur. Phys. J. C 70(2010)927-943.	160
9	Yu.G.Zdesenko et al. <i>Has neutrinoless double β decay of ^{76}Ge been really observed?</i> Phys. Lett. B 546(2002)206-215.	143
10	D.Dassie et al. <i>Two-neutrino double-β decay measurement of ^{100}Mo.</i> Phys. Rev. D 51(1995)2090-2100.	134
11	F.A.Danevich et al. <i>The research of 2β decay of ^{116}Cd with enriched $^{116}\text{CdWO}_4$ crystal scintillators.</i> Phys. Lett. B 344(1995)72-78.	130
12	R.Arnold et al. <i>Result of the search for neutrinoless double-β decay in ^{100}Mo with the NEMO-3 experiment.</i> Phys. Rev. D 92(2015)072011, 23 p.	120
13	R.Arnold et al. <i>Double beta decay of ^{96}Zr.</i> Nucl. Phys. A 658(1999)299-312.	117
14	F.T.Avignone III et al., <i>Next generation double-beta decay experiments: metrics for their evaluation.</i> New J. Phys. 7(2005)6, 46 pp.	110
15	Yu.Zdesenko. <i>The future of double β decay research.</i> Rev. Mod. Phys. 74(2002)663-684.	103
16	F.A.Danevich et al. <i>Quest for double beta decay of ^{160}Gd and Ce isotopes.</i> Nucl. Phys. A 694(2001)375-391.	100
17	F.A.Danevich et al. <i>New results of ^{116}Cd double β decay study with $^{116}\text{CdWO}_4$ scintillators.</i> Phys. Rev. C 62(2000)045501, 9 p.	97
18	G.Bellini et al. <i>Neutrinos from the primary proton-proton fusion process in the Sun.</i> Nature 512(2014)383-386.	93
19	R.Arnold et al. <i>Double-β decay of ^{82}Se.</i> Nucl. Phys. A 636(1998)209-223.	93
20	G.Bellini et al. <i>Observation of geo-neutrinos.</i> Phys. Lett. B 687(2010)299-304.	87
21	G.Alimonti et al., <i>The Borexino detector at the Laboratori Nazionali del Gran Sasso.</i> Nucl. Instrum. Meth. A 600(2009)568-593.	83
22	R.Arnold et al. <i>Double-β decay of ^{116}Cd.</i> Z. Physik C 72(1996)239-247.	82
23	R.Arnold et al. <i>Measurement of the $2\nu\beta\beta$ decay half-life of ^{150}Nd and a search for $0\nu\beta\beta$ decay processes with the full exposure from the NEMO-3 detector.</i> Phys. Rev. D 94(2016)072003, 19 p.	81
24	G.Bellini et al. <i>High sensitivity 2β decay study of ^{116}Cd and ^{100}Mo with the BOREXINO CTF (CAMEO project).</i> Eur. J. Phys. C 19(2001)43-55.	80
25	G.Bellini et al. <i>Final results of Borexino Phase I on low energy solar neutrino spectroscopy.</i> Phys. Rev. D 89(2014)112007.	74
26	G.Bellini et al., <i>Precision measurement of the ^7Be solar neutrino interaction rate in Borexino.</i> arXiv:1104.1816, 5 p.	73
27	Yu.G.Zdesenko et al., <i>High sensitivity GEM experiment on 2β decay of ^{76}Ge.</i> J. Phys. G: Nucl. Part. Phys. 27(2001)2129-2146.	73
28	R.Arnold et al. <i>Measurement of the double-beta decay half-life and search for the neutrinoless double-beta decay of ^{48}Ca with the NEMO-3 detector.</i> Phys. Rev. D 93(2016)112008, 9 p.	69
29	F.A.Danevich et al. <i>α activity of natural tungsten isotopes.</i> Phys. Rev. C 67(2003)014310, 8 p.	69

30	F.A.Danevich et al., <i>ZnWO₄ crystals as detectors for 2β decay and dark matter experiments.</i> Nucl. Instrum. Meth. Phys. Res. A 544(2005)553-564	64
31	Yu.G.Zdesenko et al., <i>Scintillation properties and radioactive contamination of CaWO₄ crystal scintillators.</i> Nucl. Instrum. Meth. Phys. Res. A 538(2005)657-667.	63
32	Ю.Г.Здесенко. <i>Двойной β-распад и сохранение лептонного заряда.</i> ЭЧАЯ 11(1980)1369-1420.	63
33	R.Arnold et al. <i>Search for neutrinoless double-beta decay of ¹⁰⁰Mo with the NEMO-3 detector.</i> Phys. Rev. D 89(2014)111101, 6 p.	61
34	P.Belli et al., <i>Search for α decay of natural Europium.</i> Nucl. Phys. A 789(2007)15-29.	61
35	D.Blum et al. <i>Search for γ rays following ββ decay of ¹⁰⁰Mo to excited states of ¹⁰⁰Ru.</i> Phys. Lett. B 275(1992)506-511.	60
36	R.Arnold et al., <i>Probing new physics models of neutrinoless double beta decay with SuperNEMO.</i> arXiv:1005.1241, 15 p.	58
37	C.Cattadori et al. <i>Observation of β decay of ¹¹⁵In to the first excited level of ¹¹⁵Sn.</i> Nucl. Phys. A 748(2005)333-347.	58
38	A.N.Annenkov et al., <i>Development of CaMoO₄ crystal scintillators for a double beta decay exper. With ¹⁰⁰Mo.</i> Nucl. Instrum. Meth. Phys. Res. A 584(2008)334-345.	55
39	L.Bardelli et al., <i>Further study of CdWO₄ crystal scintillators as detectors for high sensitivity 2β experiments: Scintillation properties and pulse-shape discrimination.</i> Nucl. Instrum. Meth. Phys. Res. A 569(2006)743-753	54
40	H.Ejiri et al. <i>Double beta decays of ¹¹⁶Cd.</i> J. Phys. Soc. Japan 64(1995)339-343.	54
41	F.A.Danevich et al. <i>Feasibility study of PbWO₄ and PbMoO₄ crystal scint. For cryogenic rare events experiments.</i> Nucl. Instrum. Meth. A 622(2010)608-613.	51
42	P.Agnes et al., <i>First results from the DarkSide-50 dark matter experiment at Laboratori Nazionali del Gran Sasso,</i> Phys. Lett. B 743(2015)456-466.	50
43	M.Agostini et al. <i>Comprehensive measurement of pp-chain solar neutrinos.</i> Nature 562(2018)505-510.	49
44	P.Belli et al. <i>New limits on 2β⁺ decay processes in ¹⁰⁶Cd.</i> Astropart. Phys. 10(1999)115-120.	49
45	H.Bhang et al. <i>AmoRE exp.: a search for 0ν2β decay of ¹⁰⁰Mo isotope with ⁴⁰Ca¹⁰⁰MoO₄ cryog. Scint. Detector.</i> J. Phys.: Conf. Ser. 375(2012)042023, 4 p.	48
46	Yu.G.Zdesenko et al., <i>CARVEL exp. with ⁴⁸CaWO₄ crystal scintillators for the double β decay study of ⁴⁸Ca.</i> Astropart. Phys. 23(2005)249-263.	48
47	P.Belli et al. <i>New limits on spin-dependent coupled WIMPs and on 2β processes in ⁴⁰Ca and ⁴⁶Ca by using low radioactive CaF₂(Eu) crystal scintillators.</i> Nucl. Phys. B 563(1999)97-106.	48
48	А.Ш.Георгадзе и др. <i>Результаты исследований 2β-распада ¹¹⁶Cd с помощью сцинтилляторов ¹¹⁶CdWO₄.</i> Яд. Физика 58(1995)1170-1179.	47
49	R.Arnold et al. <i>Final results on ⁸²Se double beta decay to the ground state of ⁸²Kr from the NEMO-3 experiment.</i> Eur. Phys. J. C 78(2018)821, 15 p.	45
50	J.W.Beeman et al. <i>A next-generation 0ν2β decay experiment based on ZnMoO₄ scintillating bolometers.</i> Phys. Lett. B 710(2012)318-323.	45
51	V.I.Tretyak. <i>Semi-empirical calculation of quenching factors for ions in scintillators.</i> arXiv:0911.3041, 32 p.	45
52	V.Alenkov et al. <i>First results from the AmoRE-Pilot neutrinoless double beta decay experiment.</i> Eur. Phys. J. C 79(2019)791, 12 p.	44
53	R.Arnold et al. <i>Measurement of the 2νββ decay half-life and search for the 0νββ decay of ¹¹⁶Cd with the NEMO-3 detector,</i> Phys. Rev. D 95(2017)012007, 12 p.	44
54	H.O.Back et al., <i>New exp. limits on violations of the Pauli exclusion principle obtained with the Borexino CTF.</i> Eur. Phys. J. C 37(2004)421-431.	44
55	O.P.Barinova et al. <i>First test of Li₂MoO₄ crystal as a cryogenic scintillating bolometer.</i> Nucl. Instrum. Meth. A 613(2010)54-57.	44
56	NEMO Collaboration. <i>NEMO experiment on double beta decay of ¹⁰⁰Mo. Present status and future.</i> Nucl. Phys. B (Proc. Suppl.) 35(1994)369-371.	44
57	C.Arpesella et al., <i>New results on solar neutrino fluxes from 192 days of Borexino data.</i> arXiv:0805.3843 [astro-ph], 6p.	42
58	L.L.Nagornaya et al. <i>Tungstate and molybdate scintillators to search for dark matter and double beta decay.</i> IEEE Trans. Nucl. Sci. 56(2009)2513-2518.	41
59	R.Arnold et al. <i>Detailed studies of ¹⁰⁰Mo two-neutrino double beta decay in NEMO-3.</i> Eur. Phys. J. C 79(2019)440, 11 p.	40
60	T.B.Bekker et al. <i>Aboveground test of an advanced Li₂MoO₄ scint. Bolometer to search for 0ν2β decay of ¹⁰⁰Mo.</i> Astropart. Phys. 72(2016)38-45.	40

61	O.A.Ponkratenko et al. <i>Event gen. DECAY4 for simulation of double-beta proc. and decays of radioactive nuclei.</i> Electronic preprint arXiv:0104018 [nucl-ex], 8 p.	40
62	P.Belli et al. <i>New experimental limit on the electron stability and non-paulian transitions in Iodine atoms.</i> Phys. Lett. B 460(1999)236-241.	40
63	T.Fazzini et al., <i>Pulse-shape discrimination with CdWO₄ crystal scintillators.</i> Nucl. Instrum. Meth. Phys. Research A 410(1998)213-219.	40
64	А.Ш.Георгадзе и др. <i>Бема-распад ¹¹³Cd.</i> Яд. Физика 59(1996)5-9.	40
65	S.Ph.Burachas et al. <i>Large volume CdWO₄ crystal scintillators.</i> Nucl. Instrum. And Methods in Phys. Research A 369(1996)164-168.	39
66	A.S.Barabash et al. <i>Final results of the Aurora exp.to study 2β decay of ¹¹⁶Cd with enriched ¹¹⁶CdWO₄ cryst. scint.</i> Phys. Rev. D 98(2018)092007, 16 p.	38
67	P.Belli et al. <i>Performances of a CeF₃ crystal scintillator and its application to the search for rare processes.</i> Nucl. Instrum. Meth. A 498(2003)352-361.	38
68	M.Agostini et al. <i>Experimental evidence of neutrinos produced in the CNO fusion cycle in the Sun.</i> Nature 587(2020)577-582.	37
69	P.Agnes et al. <i>Results from the first use of low radioactivity argon in a dark matter search.</i> Phys. Rev. D 93(2016)081101, 7 p.	37
70	E.Armengaud et al., <i>New limit for neutrinoless double-beta decay of ¹⁰⁰Mo from the CUPID-Mo experiment.</i> Phys. Rev. Lett. 126(2021)181802, 7 p.	36
71	G.Bellini et al. <i>Measurement of geo-neutrinos from 1353 days of Borexino.</i> Phys. Lett. B 722(2013)295-300.	36
72	P.Belli et al., <i>Investigation of β decay of ¹¹³Cd.</i> Phys. Rev. C 76(2007)064603, 10 p.	36
73	S.Moriyama (on behalf of the XMASS Collaboration). <i>XMASS experiment I.</i> Proc. Int. Workshop XENON'01, World Sci., 2002, p. 123-135.	36
74	L.Gironi et al., <i>Performance of ZnMoO₄ crystal as cryog. Scint. Bolometer to search for 2β decay of molybdenum.</i> J. of Instrumentation 5(2010)P11007, 12 p.	35
75	H.O.Back et al., <i>New limits on nucleon decays into invisible channels with the BOREXINO counting test facility.</i> Phys. Lett. B 563(2003)23-34.	35
76	M.Agostini et al. <i>Limiting neutrino magnetic moments with Borexino Phase-II solar neutrino data.</i> Phys. Rev. D 96(2017)091103, 6 p.	34
77	P.Belli et al. <i>Final results of an experiment to search for 2β processes in zinc and tungsten with the help of radiopure ZnWO₄ crystal scintillators.</i> J. Phys. G 38(2011)115107, 15 p.	34
78	E.Armengaud et al. <i>The CUPID-Mo experiment for neutrinoless double-beta decay: performance and prospects.</i> Eur. Phys. J. C 80(2020)44, 15 p.	33
79	W.R.Armstrong et al. <i>CUPID pre-CDR.</i> Electronic preprint arXiv:1907.09376 [physics.ins-det], 78 p.	33
80	G. Bellini et al. <i>SOX: Short distance neutrino Oscillations with BoreXino.</i> JHEP 08(2013)038.	33
81	G.Bellini et al. <i>Study of solar and other unknown anti-neutrino fluxes with Borexino at LNGS.</i> Phys. Lett. B 696(2011)191-196.	33
82	P.Belli et al. <i>Experimental searches for rare alpha and beta decays.</i> Eur. Phys. J. A 55(2019)140, 43 p.	32
83	M.Agostini et al., <i>First simultan. precision spectrosc. of pp, ⁷Be, and pep solar neutrinos with Borexino phase-II,</i> Phys. Rev. D 100(2019)082004, 17 p.	32
84	F.A.Danevich et al., <i>YAG:Nd crystals as possible detector to search for 2β and α decay of neodymium.</i> Nucl. Instrum. Meth. A 541(2005)583-589.	32
85	G.Bellini et al. <i>Search for solar axions produced in the p(d,³He)A reaction with Borexino detector.</i> Phys. Rev. D 85(2012)092003, 11 p.	31
86	R.Bernabei et al. <i>Search for the nucleon and di-nucleon decay into invisible channels.</i> Phys. Lett. B 493(2000)12-18.	31
87	F.A.Danevich et al. <i>Application of PbWO₄ crystal scintillators in experiment to search for 2β decay of ¹¹⁶Cd.</i> Nucl. Instrum. Meth. A 556(2006)259-265.	30
88	M.Agostini et al. <i>First simultaneous precision spectrosc. of pp, ⁷Be, and pep solar neutr. with Borexino phase-II.</i> arXiv:1707.09279 [hep-ex], 8 p.	29
89	P.Belli et al., <i>Search for double beta decay of zinc and tungsten with low-background ZnWO₄ crystal scintillators.</i> Nucl. Phys. A 826(2009)256-273.	29
90	R.Arnold et al. <i>Testing the Pauli exclusion principle with the NEMO-2 detector.</i> Eur. Phys. J. A 6(1999)361-366.	29
91	G.Bellini et al., <i>Absence of a day-night asymmetry in the ⁷Be solar neutrino rate in Borexino.</i> Phys. Lett. B 707(2012)22-26.	28

92	O.P.Barinova et al. <i>Intrinsic radiopurity of a Li_2MoO_4 crystal.</i> Nucl. Instrum. Meth. Phys. Res. A 607(2009)573-575.	28
93	K.Blaum et al. <i>Neutrinoless double-electron capture.</i> Rev. Mod. Phys. 92(2020)045007, 61 p.	27
94	G.Bellini et al. <i>Final results of Borexino Phase-I on low energy solar neutrino spectroscopy.</i> Electronic preprint arXiv:1308.0443 [hep-ex], 64 p.	27
95	P.Belli et al., <i>Search for 2β processes in ^{64}Zn with the help of ZnWO_4 crystal scintillator.</i> Phys. Lett. B 658(2008)193-197.	27
965	R.Arnold et al. <i>Performance of a prototype tracking detector for double beta decay measurements.</i> Nucl. Instrum. Meth. A 354(1995)338-351.	27
97	Ю.Г.Здесенко и др. <i>Поиски безнейтринного двойного β-распада ^{96}Zr.</i> Известия АН СССР, сер. Физ. 45(1981)1856-1860.	27
98	K.Kume et al. <i>Double beta decays studied by Elegant.</i> DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.490-495.	26
99	R.Arnold et al. <i>Observation of two neutrino double beta decay of ^{116}Cd with the tracking detector NEMO-2.</i> Письма в ЖЭТФ 61(1995)168-171.	26
100	E.Armengaud et al. <i>Development of ^{100}Mo-containing scintillating bolometers for a high-sensitivity neutrinoless double-beta decay search.</i> Eur. Phys. J. C 77(2017)785, 25 p.	25
101	P.Agnes et al. <i>First results from the DarkSide-50 dark matter experiment at LNGS.</i> Electronic preprint 1410.0653 [astro-ph.CO], 14 p.	25
102	F.Cappella et al. <i>On the potentiality of the ZnWO_4 anisotropic det. To measure the directionality of Dark Matter.</i> Eur. Phys. J. C 73(2013)2276, 13 p.	25
103	L.Cardani et al. <i>Development of a Li_2MoO_4 scintillating bolometer for low background physics.</i> JINST 8(2013)P10002, 13 p.	25
104	S.J.Lee et al. <i>The development of a cryogenic det. With CaMoO_4 crystals for neutrinoless double beta decay search.</i> Astropart. Phys. 34(2011)732-737	25
105	V.V.Kobychev et al., <i>Constraints on the photon charge from observations of extragalactic sources.</i> Astronomy Lett. 31(2005)147-151.	25
106	V.I.Tretyak and Yu.G.Zdesenko <i>Exp. limits on the proton life-time from the neutrino experiments with heavy water.</i> Phys. Lett. B 505(2001)59-63.	25
107	G.Bellini et al. <i>High sensitivity quest for Majorana neutrino mass with the BOREXINO counting test facility.</i> Phys. Lett. B 493(2000)216-228.	25
108	Ю.Г.Здесенко. <i>Сохранение лептонного заряда в двойном β-распаде ^{130}Te.</i> Письма в ЖЭТФ 32(1980)62-67.	25
109	R.Arnold et a. <i>Measurement of the $2\nu\beta\beta$ decay half-life of ^{150}Nd and a search for $0\nu\beta\beta$ decay processes with the full exposure from the NEMO-3 detector.</i> Electronic preprint arXiv:1606.08494 [hep-ex], 18 p.	24
110	R.Arnold et al. <i>Results of the search for neutrinoless double-β decay in ^{100}Mo with the NEMO-3 experiment.</i> Electronic preprint 1506.05825 [hep-ex], 23 p.	24
111	R.Arnold et al., <i>Search for neutrinoless double-beta decay of ^{100}Mo with the NEMO-3 detector.</i> Electronic preprint arXiv:1311.5695 [hep-ex], 5 p.	24
112	G.Bellini et al. <i>Cosmogenic backgrounds in Borexino at 3800 m water-equivalent depth.</i> JCAP 08(2013)049, 29 p.	24
113	Ch.Marquet (for the NEMO coll.). <i>Double beta decay with the NEMO exp.: status of the NEMO 3 detector.</i> Nucl. Phys. B (Proc. Suppl.) 87(2000)298-300.	24
114	P.Belli et al. <i>Quest for electron decay $e^- \rightarrow \nu_e \gamma$ with a liquid xenon scintillator.</i> Phys. Rev. D 61(2000)117301, 4 p.	24
115	A.Barabash (for the SuperNEMO Collaboration). <i>SuperNEMO double beta decay experiment.</i> J. Phys.: Conf. Ser. 375(2012)042012, 4 p.	23
116	P.Belli et al. <i>New observation of $2\beta 2\nu$ decay of ^{100}Mo to the 0^+_{11} level of ^{100}Ru in the ARMONIA experiment.</i> Nucl. Phys. A 846(2010)143-156.	23
117	L.Bardelli et al. <i>Pulse-shape discrimination with PbWO_4 crystal scintillators.</i> Nucl. Instrum. Meth. A 584(2008)129-134.	23
118	G.Wang et al. <i>CUPID. CUORE (Cryogenic Undergr. Obs. For Rare Events) Upgrade with Particle Identification.</i> Electronic preprint arXiv:1504.03599 [physics.ins-det], 6 p.	22
119	M.Agostini et al. <i>Spectroscopy of geoneutrinos from 2056 days of Borexino data.</i> Phys. Rev. D 92(2015)031101, 5 p.	22
120	R.Arnold et al. <i>Investigation of double beta decay of ^{100}Mo to excited states of ^{100}Ru.</i> Nucl. Phys. A 925(2014)25-36.	22
121	A.S.Barabash et al. <i>Enriched $\text{Zn}^{100}\text{MoO}_4$ scint. Bol. To search for $0\nu 2\beta$ decay of ^{100}Mo with the LUMINEU exp.</i> Eur. Phys. J. C 74(2014)3133, 7 p.	22
122	D.M.Chernyak et al. <i>Optical, luminescence and thermal properties of radiopure ZnMoO_4 crystals used in scintillating bolometers for double beta decay search.</i> Nucl. Instrum. Meth. A 729(2013)856-863.	22

123	D.M.Chernyak et al. <i>Random coinc. Of $2\nu 2\beta$ decay events as a backgr. Source in bolometric $0\nu 2\beta$ decay exp.</i> Eur. Phys. J. C 72(2012)1989, 6 p.	22
124	P.Belli et al., <i>New limits on the nuclear levels excitation of ^{127}I and ^{23}Na during charge nonconservation..</i> Phys. Rev. C 60(1999)065501, 7 p.	22
125	F.A.Danevich et al. <i>Investigation of $\beta^+ \beta^+$ and β^+/EC decay of ^{106}Cd.</i> Z. Physik A 355(1996)433-437.	22
126	P.Agnes et al. <i>Results from the first use of low radioactivity argon in a dark matter search.</i> Electronic preprint arXiv:1510.00702 [astro-ph.CO], 7 p.	21
127	V.Alenkov et al. <i>Technical design report for the AmoRE $0\nu\beta\beta$ decay search experiment.</i> Electronic preprint arXiv:1512.05957 [physics.ins-det], 93 p.	21
128	R.Bernabei et al. <i>Performances and potentialities of a $\text{LaCl}_3:\text{Ce}$ scintillator.</i> Nucl. Instrum. Meth. A 555(2005)270-281.	21
129	NEMO coll. (presented by A.S.Barabash), <i>Testing the Pauli exclusion principle with the NEMO-2 detector.</i> Nucl. Phys. B (Proc. Suppl.) 87(2000)510-511.	21
130	A.S.Barabash and NEMO Collaboration. <i>NEMO Collaboration: Latest results and perspectives for the future.</i> Neutrino'96 Proc. (Helsinki, 1996) – World Sci., 1997, P.374-380.	21
131	F.A.Danevich et al. <i>Search for double beta decay of ^{116}Cd with enriched $^{116}\text{CdWO}_4$ crystal scint. (Aurora exp.).</i> J. Phys.: Conf. Ser. 718(2016)062009, 5 p.	20
132	F.A.Danevich et al., <i>Two-neutrino 2β decay of ^{116}Cd and new half-life limits on 2β decay of ^{180}W and ^{186}W.</i> Nucl. Phys. A 717(2003)129-145.	20
133	P.Belli et al. <i>Charge non-conservation restrictions from the nuclear levels excitation of ^{129}Xe induced by the electron's decay on the atomic shell.</i> Phys. Lett. B 465(1999)315-322.	20
134	F.A.Danevich et al. <i>Limits on Majoron modes of ^{116}Cd neutrinoless 2β decay.</i> Nucl. Phys. A 643(1998)317-328.	20
135	I.Kisel et al. <i>Cellular automaton and elastic net for event reconstruction in the NEMO-2 experiment.</i> Nucl. Instrum. And Methods in Phys. Res. A 387(1997)433-442.	20
136	D.Dassie et al. <i>NEMO 3 Proposal.</i> Preprint LAL 94-29 (1994).	20
137	F.A.Danevich et al. <i>New limits of half-lives for 2β processes in Cd and W isotopes.</i> WEIN'92: - World Scientific, 1993. – P.575-581.	20
138	Yu.Zdesenko. <i>Double beta decay experiments at Kiev.</i> J. Phys. G: Nucl. Part. Phys. 17(1991)s243-s249.	20
139	Ф.А.Даневич и др. <i>Поиск 2β-распада ^{116}Cd с помощью сцинтиллятора $^{116}\text{CdWO}_4$.</i> Письма в ЖЭТФ 49(1989)417-420.	20
140	M.Agostini et al. <i>First direct experimental evidence of CNO neutrinos.</i> arXiv:2006.15115 [hep-ex], 18 p.	19
141	P.Belli et al. <i>Radioactive contamination of $\text{SrI}_2(\text{Eu})$ crystal scintillator.</i> Nucl. Instrum. Meth. A 670(2012)10-17.	19
142	H.Kraus et al., <i>ZnWO_4 scintillators for cryogenic dark matter experiments.</i> Nucl. Instrum. Meth. A 600(2009)594-598.	19
143	G.Alimonti et al. <i>The Borexino detector at the Laboratori Nazionali del Gran Sasso.</i> Electronic preprint arXiv:0806.2400 [physics.ins-det], 37 p.	19
144	Yu.G.Zdesenko, V.I.Tretyak, <i>To what extent does the latest SNO result guarantee the proton stability?</i> Phys. Lett. B 553(2003)135-140.	19
145	X.Sarazin (for the NEMO Coll.) <i>Double $-\beta$ decays with the NEMO experiment: final results of NEMO-2 ...</i> Nucl. Phys. B (Proc. Suppl.) 70(1999)239-241.	19
146	Yu.G.Zdesenko et al. <i>Lead molybdate as a low-temperature scintillator in the experimental search for the neutrinoless double beta-decay of ^{100}Mo.</i> Instr. Exp. Technique 39(1996)364-368.	19
147	K.Kume et al. <i>Double beta decays of ^{116}Cd.</i> Nucl. Phys. A 577(1994)405c-410c.	19
148	A.Alessandrello et al., <i>Bolometric measurement of the beta spectrum of ^{113}Cd.</i> Nucl. Phys. B (Proc. Suppl.) 35(1994)394-396.	19
149	E.Armengaud et al. <i>Precise measurement of $2\nu\beta\beta$ decay of ^{100}Mo with the CUPID-Mo detection technology.</i> Eur. Phys. J. C 80(2020)674, 10 p.	18
150	R.Arnold et al. <i>Final results on ^{82}Se double beta decay to the ground state of ^{82}Kr from the NEMO-3 experiment.</i> Electronic preprint arXiv:1806.05553, 14 p.	18
151	A.S.Barabash et al. <i>Calorimeter development for the SuperNEMO double beta decay experiment.</i> Nucl. Instrum. Meth. A 868(2017)98-108.	18
152	R.Arnold et al. <i>Search for neutrinoless quadruple-β decay of ^{150}Nd with the NEMO-3 detector.</i> Phys. Rev. Lett. 119(2017)041801, 6 p.	18
153	P.Belli et al. <i>Search for ^7Li solar axions using resonant absorption in LiF crystal: Final results.</i> Phys. Lett. B 711(2012)41-45.	18

154	G.Alimonti et al. <i>The liquid handling systems for the Borexino solar neutrino detector.</i> Nucl. Instrum. Meth. A 609(2009)58-78.	18
155	G.Bellini et al. <i>Search for solar axions emitted in the M1-transition of ${}^7\text{Li}^*$ with Borexino CTF.</i> Eur. Phys. J. C 54(2008)61-72.	18
156	F.Piquemal (for the NEMO collaboration). <i>Results from the NEMO experiment.</i> Nucl. Phys. B (Proc. Suppl.) 77(1999)352-356.	18
157	NEMO Coll. (pres. By A.S.Barabash). <i>Invest. Of double beta decay of ${}^{82}\text{Se}$ and ${}^{96}\text{Zr}$ with tracking det. NEMO-2.</i> Nucl. Phys. A 629(1998)517c-522c.	18
158	E.Bukhner et al. <i>Rare decays of mercury nuclei</i> Sov. J. Nucl. Phys. 52(1990)193-197.	18
159	M.Agostini et al. <i>Limiting neutrino magnetic moments with Borexino Phase-II solar neutrino data.</i> Electronic preprint arXiv:1707.09355, 7 p.	17
160	G.Bellini et al. <i>New limits on heavy sterile neutrino mixing in ${}^8\text{B}$ decay obtained with the Borexino detector.</i> Phys. Rev. D 88(2013)072010, 7 p.	17
161	A.S.Barabash et al. <i>Low background detector with enriched ${}^{116}\text{CdWO}_4$ crystal scintillators to search for double β decay of ${}^{116}\text{Cd}$.</i> JINST 06(2011)P08011, 24 p.	17
162	P.Belli et al. <i>First limits on 0ν res. 2ε capt. In ${}^{136}\text{Ce}$ and new limits for other 2β proc. in ${}^{136}\text{Ce}$ and ${}^{138}\text{Ce}$ isotopes.</i> Nucl. Phys. A 824(2009)101-114.	17
163	F.A.Danevich et al. <i>MgWO_4 – A new crystal scintillator.</i> Nucl. Instrum. Meth. A 608(2009)107-115.	17
164	F.A.Danevich et al. <i>Double β decay of ${}^{116}\text{Cd}$. Final results of the Solotvina experiment and CAMEO project.</i> Nucl. Phys. B (Proc. Suppl.) 138(2005)230-232.	17
165	H.O.Back et al. <i>Study of neutrino electromagnetic properties with the prototype of the Borexino detector.</i> Phys. Lett. B 563(2003)35-47.	17
166	Yu.G.Zdesenko et al. <i>High sensitivity GEM experiment on 2β decay of ${}^{76}\text{Ge}$.</i> Electronic preprint nucl-ex/0106021. – 20 p.	17
167	F.A.Danevich et al. <i>Quest for neutrinoless double beta decay of ${}^{160}\text{Gd}$.</i> Nucl. Phys. B (Proc. Suppl.) 48(1996)235-237.	17
168	С.Ф.Бурачас и др. <i>О возможности поиска 2β-распада ${}^{160}\text{Gd}$ с помощью сцинтилляторов GSO.</i> Яд. Физика 58(1995)195-199.	17
169	F.A.Danevich et al. <i>CdWO_4, ZnSe and ZnWO_4 scintillators in studies of 2β-processes.</i> Instr. Exp. R. 32(1989)1059-1064.	17
170	Ю.Г.Здесенко и др. <i>Изучение двойного β-распада ${}^{130}\text{Te}$.</i> Ядерная физика 32(1980)607-616.	17
171	C.Augier et al. <i>Final results on the $0\nu\beta\beta$ decay half-life limit of ${}^{100}\text{Mo}$ from the CUPID-Mo experiment.</i> Eur. Phys. J. C 82(2022)1033, 20 p.	16
172	E.Armengaud et al. <i>A new limit for neutrinoless double-beta decay of ${}^{100}\text{Mo}$ from the CUPID-Mo experiment.</i> arXiv:2011.13243, 7 p.	16
173	M.Agostini et al. <i>Improved measurement of ${}^8\text{B}$ solar neutrinos with 1.5 kt y of Borexino exposure..</i> arXiv:1709.00756 [hep-ex], 13 p.	16
174	J.Argyriades et al. <i>Measurement of the background in the NEMO 3 double beta decay experiment.</i> Nucl. Instrum. Meth. A 606(2009)449-465.	16
175	P.Belli et al. <i>${}^7\text{Li}$ solar axions: Preliminary results and feasibility studies.</i> Nucl. Phys. A 806(2008)388-397..	16
176	Yu.G.Zdesenko et al. <i>The study of 2β-decay of ${}^{100}\text{Mo}$.</i> Proc. Int. Conf. Neutrino'82: Hungary, 1982. – Vol.1. – P.209-215.	16
177	V.Alenkov et al. <i>First results from the AMoRE-pilot neutrinoless double beta decay experiment.</i> arXiv:1903.09483, 21 p.	15
178	R.Arnold et al. <i>Measurement of the double-beta decay half-life and search for the neutrinoless double-beta decay of the NEMO-3 detector.</i> Electronic preprint arXiv:1604.01710, 8 p.	15
179	P.Belli et al. <i>Search for double-β decay processes in ${}^{106}\text{Cd}$ with the help of a ${}^{106}\text{CdWO}_4$ crystal scintillator.</i> Phys. Rev. C 85(2012)044610, 12 p.	15
180	P.Belli et al., <i>Search for double-β decays of ${}^{96}\text{Ru}$ and ${}^{104}\text{Ru}$ by ultra-low background HPGe γ spectrometry.</i> Eur. Phys. J. A 42(2009)171-177.	15
181	A.A.Klimenko et al. <i>Experimental limit on the charge non-conserving β decay of ${}^{73}\text{Ge}$.</i> Phys. Lett. B 535(2002)77-84.	15
182	G.Bellini et al. <i>High sensitivity 2β decay study of ${}^{116}\text{Cd}$ and ${}^{100}\text{Mo}$ with the BOREXINO CTF (CAMEO project).</i> Electronic preprint nucl-ex/0007012, 29 p.	15
183	F.A.Danevich et al. <i>New results of ${}^{116}\text{Cd}$ double β decay study with ${}^{116}\text{CdWO}_4$ scintillators.</i> Electronic preprint nucl-ex/0003001. – 28 p.	15
184	F.Piquemal and NEMO Collaboration. <i>NEMO experiment on double beta decay. Present status.</i> DBD and Rel. Topics (Trento, 1995) – World Sci., 1996. – P.496-501.	15

185	P.Belli et al. <i>Search for 2β d. of ^{106}Cd with an enr. $^{106}\text{CdWO}_4$ crystal scint. in coincidence with four HPGe det..</i> Phys. Rev. C 93(2016)045502, 9 p.	14
186	G.B.Kim et al. <i>A CaMoO_4 crystal low temp. detector for the AmoRE neutrinoless double beta decay search.</i> Adv. High En. Physics (2015)817530, 8 p.	14
187	P.Belli et al. <i>First observation of α decay of ^{190}Pt to the first excited level ($E_{\text{exc}} = 137.2$ keV) of ^{186}Os.</i> Phys. Rev. C 83(2011)034603, 7 p.	14
188	A.M.Dubovik et al., <i>R&D of ZnBO_4 ($B = \text{W}; \text{Mo}$) crystal scint. For dark matter and double beta decay searching.</i> Acta Phys. Pol. A 117(2010)15-19	14
189	V.I.Tretyak, V.Yu.Denisov, Yu.G.Zdesenko. <i>New limits on di-nucleons decay into invisible channels.</i> JETP Letters 79(2004)106-108.	14
190	V.A.Zheltonozhsky et al. <i>Precise measurement of energy of the first excited state of ^{115}Sn ($E_{\text{exc}} \approx 497.3$ keV).</i> Europhys. Lett. 121(2018)12001, 5 p.	13
191	D.V.Poda et al. <i>Low background techniques in bolometers for double-beta decay search.</i> Int. J. Mod. Phys. A 32(2017)1743012, 35 p.	13
192	G.Wang et al. <i>R&D towards CUPID (CUORE Upgrade with Particle Identification).</i> Electronic preprint arXiv: 1504.03612 [physics.ins-det], 14 p.	13
193	F.A.Danevich et al. <i>Optimization of light collection from crystal scintillators for cryogenic experiments</i> Nucl. Instrum. Meth. A 744(2014)41-47.	13
194	L.Berge et al. <i>Purification of molybdenum, growth and characterization of medium volume ZnMoO_4 crystals for the LUMINEU program.</i> JINST 9(2014)P06004, 18 p.	13
195	F.A.Danevich. <i>Development of crystal scintillators from enriched isotopes for double β decay experiments.</i> IEEE Trans. Nucl. Sci. 59(2012)2207-2213.	13
196	J.W.Beeman et al. <i>An improved ZnMoO_4 scintillating bolometer for the search for $0\nu 2\beta$ decay of ^{100}Mo.</i> J. Low Temp. Phys. 167(2012)1021-1028.	13
197	P.Belli et al. <i>First search for double β decay of dysprosium..</i> Nucl. Phys. A 859(2011)126-139.	13
198	G.Bellini et al. <i>Observation of geo-neutrinos,</i> Electronic preprint 1003.0284 [hep-ex], 8 p.	13
199	P.Belli et al. <i>Search for double-β decay processes in ^{108}Cd and ^{114}Cd with the help of the low-background CdWO_4 crystal scintillator.</i> Eur. Phys. J. A 36(2008)167-170.	13
200	V.I.Tretyak. <i>Spontaneous double alpha decay: First experimental limit and prospects of investigation,</i> Nucl. Phys. At. Energy 22(2021)121–126.	12
201	M.Agostini et al. <i>Comprehensive geoneutrino analysis with Borexino.</i> Phys. Rev. D 101(2020)012009, 63 p.	12
202	R.Arnold et al. <i>Detailed studies of ^{100}Mo two-neutrino double beta decay in NEMO-3.</i> Electronic preprint arXiv:1903.08084 [nucl-ex], 11 p.	12
203	R.Arnold et al. <i>Meas. of the $2\nu\beta\beta$ decay half-life and search for the $0\nu\beta\beta$ decay of ^{116}Cd with the NEMO-3 det.</i> arXiv:1610.03226, 11 p.	12
204	G.Bellini et al. <i>SOX: Short distance neutrino Oscillations with BoreXino.</i> arXiv:1304.7721 [physics.ins-det], 5 p.	12
205	P.Belli et al. <i>Search for 2β decay of cerium isotopes with CeCl_3 scintillator.</i> J. Phys. G 38(2011)015103, 15 p.	12
206	R.Bernabei et al. <i>Radioactive contamination of ZnWO_4 crystal scintillators.</i> Nucl. Instrum. Meth. A 626-627(2011)31-38.	12
207	V.I.Tretyak. <i>False starts in history of searches for 2β decay, or discoverless double beta decay.</i> AIP Conf. Proc.1417(2011)129-133.	12
208	L.L.Nagornaya et al. <i>Growth of ZnWO_4 crystal scintillators for high sensitivity 2β experiments.</i> IEEE Trans. Nucl. Sci. 55(2008)1469-1472.	12
209	Yu.G.Zdesenko. <i>CAMEO/GEM program for future 2β decay and dark matter experiments.</i> Nucl. Phys. B (Proc. Suppl.) 110(2002)385-388.	12
210	R.Bernabei et al. <i>Search for β and $\beta\beta$ decays in ^{48}Ca.</i> Nucl. Phys. A 705(2002)29-39.	12
211	C.J.M.Longuemare (for the NEMO collaboration). <i>The double β decay experiment NEMO-3.</i> Part. Nucl. Lett. (Письма в ЭЧАЯ) 3(2001)62-68.	12
212	A.Sh.Georgadze et al. <i>Invest. of rare alpha and beta decays by means of cadmium and zinc tungstate crystals.</i> Bull. Rus. Acad. Sci. Phys. 61(1997)1719.	12
213	M.Agostini et al. <i>Improved measurement of ^8B solar neutrinos with 1.5 kt-y of Borexino exposure,</i> Phys. Rev. D 101(2020)062001.	11
214	A.S.Barabash et al. <i>The BiPo-3 detector for the measurement of ultra low natural radioactivities of thin materials.</i> JINST 12(2017)P06002, 40 p.	11
215	P.Belli et al. <i>Search for 2β d. of ^{96}Ru and ^{104}Ru by ultralow-backgr. HPGe γ spectrometry at LNGS: Final results.</i> Phys. Rev. C 87(2013)034607, 8 p.	11

216	G.Bellini et al. <i>Lifetime measurements of ^{214}Po and ^{212}Po with the CTF liquid scintillator detector at LNGS.</i> Eur. Phys. J. A 49(2013)92, 8 p.	11
217	G.Bellini et al. <i>Muon and cosmogenic neutron detection in Borexino.</i> JINST 6(2011)P05005, 41 p.	11
218	M.Balata et al. <i>Search for electron antineutrino interactions with the Borexino Counting Test Facility at Gran Sasso.</i> Eur. Phys. J. C 47(2006)21-30.	11
219	Yu.G.Zdesenko. <i>CAMEO/GEM program and future of double-β-decay research.</i> Ядерная физика 65(2002)2251-2260.	11
220	NEMO Collaboration. <i>Double beta decay experiments with the tracking detector NEMO-2.</i> Nucl. Phys. B (Proc. Suppl.) 48(1996)226-228.	11
221	Yu.G.Zdesenko et al., <i>The study of the background of the detectors in the Solotvina underground laboratory.</i> Proc. 2nd Int. Symp. On Underground Physics, Nauka, Moscow, 1988, p. 291-295.	11
222	F.A.Danevich. <i>Radiopure tungstate and molybdate crystal scintillators for double beta decay experiments.</i> Int. J. Mod. Phys. A 32(2017)1743008, 16 p.	10
223	E.Armengaud et al. <i>LUMINEU: a search for neutrinoless d. b. d. based on ZnMoO_4 scintillating bolometers.</i> J. Phys.: Conf. Ser. 718(2016)062008, 5 p.	10
224	O.Y.Smirnov et al. <i>Meas. of neutrino flux from the primary p-p fusion process in the Sun with Borexino detector.</i> Electronic preprint arXiv:1507.02432, 15 p.	10
225	M.Agostini et al. <i>Test of electric charge conservation with Borexino.</i> Phys. Rev. Lett. 115(2015)231802, 6 p.	10
226	F.A.Danevich et al. <i>Impact of geometry on light col. eff. of scint. detectors for cryogenic rare event searches.</i> Nucl. Instrum. Meth. B 336(2014)26-30.	10
227	G.Angloher et al. <i>EURECA Conceptual Design Report.</i> Phys. Dark Universe 3(2014)41-74.	10
228	T.Alexander et al. <i>Light yield in DarkSide-10: A prototype two-phase argon TPC for dark matter searches.</i> arXiv:1204.6218, 10 p.	10
229	F.A.Danevich et al. <i>Ancient Greek lead findings in Ukraine.</i> Nucl. Instrum. Meth. A 603(2009)328-332.	10
230	P.Belli et al. <i>Intrinsic radioactivity of a $\text{Li}_6\text{Eu}(\text{BO}_3)_3$ crystal and α decays of Eu.</i> Nucl. Instrum. Methods A 572(2007)734-738.	10
231	F.A.Danevich et al. <i>ZnWO_4 crystals as detectors for 2β decay and dark matter experiments.</i> Electronic preprint arXiv:nucl-ex/0409014, 16 p.	10
232	F.A.Danevich et al. <i>Status of the INR experiment on 2β decay of ^{116}Cd.</i> Nucl. Phys. B (Proc. Suppl.) 70(1999)246-248.	10
233	A.Sh.Georgadze et al. <i>Search for α decay of naturally occurring tungsten isotopes.</i> JETP Lett. 61(1995)882-886.	10
Σ		8874