

VOLODYMYR TRETYAK

Leading Scientific Researcher

Lepton Physics Department

Institute for Nuclear Research of the National Academy of Sciences of Ukraine

Prospect Nauky 47, 03028 Kyiv, Ukraine; tel/fax: +380(44)525-2210/4463

E-mail: tretyak@kinr.kiev.ua

Web site: <http://lpd.kinr.kiev.ua/tretyak>

Scopus Author ID: 35290939700

Orcid: 0000-0002-2369-0679

CURRICULUM VITAE

Personal information

I was born in Kyiv (Ukraine) on November 26, 1956.

Family status – married, two children: daughter 40 years and son 29 years old.

Citizenship: Ukraine.

Education

- 1964–1974 – secondary school in Kyiv; graduated with excellence (gold medal).
- 1975–1980 – Physical Faculty of the Kyiv State University (Kyiv, Ukraine). Graduated (MSc) in speciality: “Theoretical nuclear physics”. Subject of diploma thesis: “Application of the method of hyperspherical functions for ^8Be nucleus” (supervisor – G.F. Filippov).
- 1991 – thesis of candidate of physical and mathematical sciences (PhD) on: “Simulation and experimental investigations of double beta processes on Mo, Ge, Hg, Cd and W nuclei” (supervisor – Yu.G. Zdesenko).

Employment and visiting positions

- 1974–1975 – technician in laboratories of physics and chemistry in secondary school.
- 1980–1982 – military service (lieutenant- and senior lieutenant-ingeneur).
- 1982 – up to now – work in the Institute for Nuclear Research of the National Academy of Sciences of Ukraine (Kyiv) as engineer (1982–1986), junior scientific researcher (1986–1991), scientific researcher (1991–1996), senior scientific researcher (1996–2014) and leading scientific researcher (since 2014).
- During 1991–1998 I worked from one to few months per year in Laboratoire de l’Accelérateur Lineaire (Orsay, France) and Institut de Recherches Subatomiques (Strasbourg, France) in framework of the NEMO Collaboration (full time – 2 years).
- 1999 – Senior scientific researcher (equiv. Associate professor).
- During 1999–2022 I periodically worked in Laboratori Nazionali del Gran Sasso (Assergi, Italy) and Istituto Nazionale di Fisica Nucleare, Rome section (INFN, Italy) with the DAMA Collaboration (full time – more than 5 years; from these, 1 year (2002–2003) on position of primo ricercatore II livello in INFN Section of Rome. In years 2014–15 I was associated to the INFN, Rome section (associazione scientifica enti stranieri).

- I was visiting professor at the Seoul National University, Seoul, Republic of Korea in 2008–2009 (6 months); at Rome Tor Vergata University, Italy in 2016–2017 (3 months); and at the University of L’Aquila, Italy in 2022 (3 months).
- 2022 – up to now – assegno di ricerca in Laboratori Nazionali del Gran Sasso (Assergi, Italy).

Field of scientific interests

Search and investigations of rare processes in nuclear and particle physics and effects beyond the Standard Model: double beta decay, rare alpha and beta decays, processes with violation of baryon and lepton numbers, limits on the violation the electric charge, testing the Pauli principle, quenching factors for ions in scintillators, etc.

Publications

I have 319 articles listed in Scopus, with 9680 citations and h-index = 60.

On Inspire dataset 263 works are listed with 8547 citations and h-index = 55 which includes 201 published papers with 8050 citations and h-index = 54 (among those 1 paper with > 250 cites, 15 papers with > 100 cites and 44 papers with > 50 cites).

Editorial work

Since 2015 I am executive secretary in the journal “Nuclear Physics and Atomic Energy” published by INR, Kyiv.

Member of Editorial Board: “Particles” (MDPI, since 2021); “The Scientific World Journal” (Hindawi, 2012–2017).

Reviewer in journals

Applied Radiation and Isotopes, Astroparticle Physics, Colloids and Surfaces A, European Physical Journal C, European Physical Journal Plus, Frontiers in Physics, IEEE Transactions on Nuclear Science, Instruments, International Journal of Modern Physics A, Journal of Industrial and Engineering Chemistry, Journal of Luminescence, Journal of Physics G, Nuclear Instruments and Methods A, Nuclear Physics A, The Scientific World Journal, Universe; Journal of Physical Studies, Nuclear Physics and Atomic Energy, Ukrainian Journal of Physics.

Referee in funding agencies

Sonata (Poland), ANR (France).

Teaching

2007, 2008, 2009 – Taras Shevchenko National University of Kyiv, Ukraine (Astroparticle physics, for students of 4–5 courses).

2012 – Tata Institute for Fundamentalsl Researches, Mumbai, India (Monte Carlo generation of events in nuclear decays, for PhD students).

2016 – University “Tor Vergata”, Rome, Italy (Experimental investigations in neutrino physics and in searches for rare and/or hypothetical processes in nuclear physics, for PhD students).

2019, 2020, 2025 – Institute for Nuclear Research of NASU, Kyiv, Ukraine (Particle physics without accelerators, for PhD students).

PhD students

Oksana Polischuk (defended in 2012).

Nazar Sokur (defended in 2024).

Grants

LIA IDEATE France-Ukraine (Development of ZnMoO_4 and Li_2MoO_4 scintillating detectors, 2015–2018).

Nat. Ac. of Sci. of Ukraine (Investigations of double beta decay of ^{150}Nd to excited levels of ^{150}Sm , 2018–2019).

Awards

Sinelnikov Prize of the National Academy of Sciences of Ukraine 2006 for series of works “Experimental investigations of rare processes in physics of atomic nuclei and particles”.

State Prize of Ukraine in Science and Technology 2016 for the work “Properties of neutrino and weak interactions, search for effects beyond the Standard Model”.

Languages

Ukrainian, Russian (native); English (fluently read and spoken); Polish, Slovak, Czech, Belorussian (read).

22.03.2025

V.I. Tretyak

RESEARCH ACTIVITIES

Field of interests in nuclear physics – search for rare and forbidden nuclear processes. Our experimental group (Professor Yu.G. Zdesenko was head of the group in 1980–2004) carried out experiments in the Solotvina Underground Laboratory (salt mines 430 m underground, situated in Ukraine) to search for double beta processes in ^{76}Ge , $^{106,108,114,116}\text{Cd}$, $^{136,138,142}\text{Ce}$, ^{160}Gd , $^{180,186}\text{W}$, ^{196}Hg isotopes, cluster radioactivity of nuclei (with emission of fragments heavier than α particle), decay of electron, transitions of nuclei in superdense state, search for α decays of W isotopes and investigation of 4-th forbidden β decay of ^{113}Cd . Ge(Li), HPGe, NaI, Gd_2SiO_5 , CdWO_4 detectors were used in these studies. The limits (mostly the best, or among the most stringent limits) on probabilities of above-mentioned processes were established; in particular, for half-life of ^{116}Cd neutrinoless 2β decay $T_{1/2}^{2\beta 0\nu} > 1.7 \cdot 10^{23}$ yr with CL=90%. On this base, the restrictions on neutrino mass, right-handed admixtures in the weak interaction, Majoron-neutrino coupling constant, mass of γ quantum, etc., were derived. Two-neutrino 2β decay of ^{116}Cd was observed with $T_{1/2}^{2\beta 2\nu} = 2.9 \cdot 10^{19}$ yr. Half-life ($T_{1/2}^\beta = 8.0 \cdot 10^{15}$ yr) and shape of 4-fold forbidden β decay of ^{113}Cd were measured. For the first time, α decays of ^{151}Eu ($T_{1/2}^\alpha = 5 \cdot 10^{18}$ yr), ^{180}W ($T_{1/2}^\alpha = 1.1 \cdot 10^{18}$ yr) to the ground state of the daughter nuclei, and α decay of ^{190}Pt to the first excited level of ^{186}Os ($T_{1/2}^\alpha = 2.6 \cdot 10^{14}$ yr) have been observed.

My individual activity in the group consists in simulation of experiments and in analysis and interpretation of experimental data. Several codes could be mentioned which were elaborated in a time when such software as GEANT (for simulation) or PAW (for data analysis) were unavailable:

- interactive program for one-dimensional γ spectra processing (search and decomposition of peaks, mathematical operations with spectra, calibration for energy and efficiency, transformation of spectra from one energy calibration to other);
- program for simulation of double beta decay, which takes into account initial angular and energy distributions of electrons in dependence on the mode of 2β decay, interactions of electrons with a source and a detector, geometry of measurements, etc.;
- program for calculation of detector's efficiency in measurements with γ sources;
- programs for analysis of data with low statistics.

In 1991–1998 I took part in the NEMO experiment devoted to investigation of 2β decay of ^{100}Mo , ^{116}Cd , ^{96}Zr , ^{82}Se . In measurements, carried out in the Fréjus Underground Laboratory (France), two-neutrino 2β decays of all these isotopes were observed and studied. In the framework of the work I made the following contributions:

- the models (and corresponding codes) were developed for description of initial kinematics of particles emitted in radioactive decay of nuclei: how many particles are emitted, their types, energies, direction of movements and time of emission. The work was performed for 27 isotopes, dangerous from the point of view to produce events mimicing 2β decay. Models took into account up to 48 excited levels of daughter nuclei and up to 166 different transitions between nuclear levels in deexcitation process (considering for all transitions the possibility to emit conversion electron or e^+e^- pair instead of γ quantum);
- a code for generation of 2β events in 12 different modes of double beta decay to ground and few (up to 5th) excited 0^+ and 2^+ levels of daughter nuclei for 16 nuclei (the most perspective double beta decay candidates from 69); $2\beta^-$, $2\beta^+$, $\epsilon\beta^+$ and 2ϵ processes were described without the Primakoff-Rosen approximation. The code of the event generator

(models of 2β processes and decays of radioactive nuclides) contains near 8,000 Fortran lines;

- a geometrical model of the NEMO-3 installation was created (together with R. Arnold, IReS Strasbourg) for simulation of response functions and efficiencies of the NEMO-3 device for 2β decays and background events. Model (near 2500 lines of description) used 485 basic objects, 33 divisions, 525 rotation matrices and 40 materials to describe with high (μm) accuracy the device 7 m in diameter and 4.5 m in height. Full number of objects in the model was about 100,000; of them, 1940 were scintillator blocks for energy measurement and 39820 wires for particle tracking.

I also took part in other investigations:

- search for 2β processes in ^{106}Cd using big CdWO_4 crystal scintillator (together with the group of Prof. H.V.Klapdor-Kleingrothaus);
 - calculations of the backgrounds (from intrinsic impurities, cosmogenic activities, external n , γ and μ fluxes) for the GENIUS, CAMEO, CARVEL, and GEM projects for the next generation high-sensitivity 2β decay experiments;
 - search for 2β processes in ^{106}Cd using big NaI detectors (together with the group of Prof. R. Bernabei);
 - search for 2β processes in $^{40,46,48}\text{Ca}$ and for β decay of ^{48}Ca using CaF_2 crystals (together with the group of Prof. R. Bernabei);
 - search for 2β processes in $^{136,138}\text{Ce}$ and for α decay of ^{142}Ce using CeF_3 scintillator (together with the group of Prof. R. Bernabei);
 - search for cluster decays of ^{127}I using NaI detector (together with the group of Prof. R. Bernabei);
 - search for ^7Li solar axions by resonant excitation of ^7Li in a LiF sample (together with the group of Prof. R. Bernabei);
 - search for 2β processes in $^{64,70}\text{Zn}$ and $^{180,186}\text{W}$ using ZnWO_4 crystal scintillators (together with the group of Prof. R. Bernabei);
 - search for 2β processes in $^{106,108,114}\text{Cd}$ using CdWO_4 crystal scintillators (together with the group of Prof. R. Bernabei);
 - precise measurements of the shape and half-life of 4-fold forbidden non-unique β decay of ^{113}Cd (together with the group of Prof. R. Bernabei);
 - search for 2β processes in $^{96,104}\text{Ru}$ (together with the group of Prof. R. Bernabei);
 - search for 2β processes in $^{190,198}\text{Pt}$ (together with the group of Prof. R. Bernabei);
 - first search for 2β processes in $^{156,158}\text{Dy}$ (together with the group of Prof. R. Bernabei);
- The experimental measurements were performed in the Gran-Sasso Underground Laboratory (Italy). In result, the most stringent limits on the probabilities of double β processes in ^{40}Ca , ^{46}Ca , ^{64}Zn , ^{96}Ru , ^{104}Ru , ^{106}Cd , ^{108}Cd , ^{114}Cd , ^{136}Ce , ^{138}Ce , ^{156}Dy , ^{158}Dy , ^{190}Pt , ^{198}Pt , α decay of ^{142}Ce , and other processes were established.

Several proposals can be pointed out, which appeared in result of my initiatives and led to interesting physical results:

- the data of the DAMA dark matter experiments with NaI and liquid ^{129}Xe detectors, performed by the group of Prof. R. Bernabei, were reanalyzed to extract the limits on the charge non-conserving processes: decays of electron (disappearance; decay to neutrino and γ quantum; and disappearance with nuclear excitations) and decays of nucleons, di- and tri-nucleons into invisible channels (processes with baryon number violation). The most

stringent limits were obtained, in particular: $\tau(e^- \rightarrow invisible) > 2.4 \cdot 10^{24}$ yr, $\tau(e^- \rightarrow \gamma \nu_e) > 2.0 \cdot 10^{26}$ yr, $\tau(nn \rightarrow invisible) > 1.2 \cdot 10^{25}$ yr (all with 90% CL). Bounds on tri-nucleon disappearance are on the level of 10^{22} yr.

- limits on the nn , np and pp decays into invisible channels were further improved (with the BOREXINO CTF liquid scintillator detector of 4 t, and reanalyzing data of old radio-chemical experiments) to the values of (at 90% CL): $\tau(nn \rightarrow invisible) > 4.9 \cdot 10^{25}$ yr, $\tau(np \rightarrow invisible) > 2.1 \cdot 10^{25}$ yr, $\tau(pp \rightarrow invisible) > 5.0 \cdot 10^{25}$ yr, the last two are currently the most stringent.

- number of free neutrons, born in big volumes with heavy water, was used to extract the limit on the proton life-time (the decay or disappearance of p in deuteron will produce free n). As a result, the best limit on the proton life-time independent on channel was derived from measurements with D₂O target (267 kg) at the Bugey atomic reactor: $\tau(p) > 4 \cdot 10^{23}$ yr with 95% CL, and the best at that time restriction on the proton disappearance was obtained using the data of the SNO detector (1000 t of D₂O): $\tau(p) > 3.5 \cdot 10^{28}$ yr with 90% CL.

- the data, accumulated with HPGe detector at the Baksan Neutrino Observatory by the group of A.A.Smolnikov, were used to extract the limit on the charge non-conserving β decay of ^{73}Ge : $\tau(^{73}\text{Ge} \rightarrow ^{73}\text{As}) > 2.6 \cdot 10^{23}$ yr with 90% CL (it was the first application of the real-time approach in this field of investigation instead of previously used radiochemical method).

- β decay of ^{115}In to the first excited level of ^{115}Sn was observed at the first time with the data of the LENS collaboration. The branching ratio is only $1.2 \cdot 10^{-6}$ what corresponds to $T_{1/2} = 3.7 \cdot 10^{20}$ yr; it is β decay with the lowest known value of Q_β (155 ± 24 eV). In addition, limit on the charge non-conserving β decay of ^{115}In was determined as $\tau > 4.1 \cdot 10^{20}$ yr with 90% CL.

- $2\beta 2\nu$ decay of ^{100}Mo to the first 0_1^+ excited level of ^{100}Ru ($E_{exc} = 1130$ keV) was observed with set-up with four HP Ge detectors ($\simeq 225$ cm³ each) and $T_{1/2} = 6.9_{-1.1}^{+1.2} \cdot 10^{20}$ yr. Limit on the CNC β decay of ^{100}Mo was determined as $\tau > 4.5 \cdot 10^{19}$ yr with 90% CL.

- semiempirical method, based on the Birks approach, was developed for description and prediction of quenching factors for light signals produced by ions in scintillators.

- α decay of ^{190}Pt to the first excited level of ^{186}Os ($E_{exc} = 137$ keV) was observed at the first time and half-life was determined as $T_{1/2} = (2.6 \pm 0.7) \cdot 10^{14}$ yr.

- the data, accumulated with BaF₂ scintillating detector contaminated by radium, were used to search for rare β and 2β decays of some short-lived nuclides in U/Th chains (^{212}Pb , ^{222}Rn , ^{226}Ra).

- the data, collected in the CRESST experiment with CaWO₄ scintillating bolometers, were used to extract limits on 2β processes in ^{40}Ca and ^{180}W which are the best to-date.

- energy of the first excited level of ^{115}Sn was measured very accurately as: $E_{exc} = 497.342(3)$ keV (with uncertainty of only 3 eV); this leads to the following Q_β value for the decay $^{115}\text{In} \rightarrow ^{115}\text{Sn}^*$: $Q_\beta^* = 147 \pm 10$ eV (β decay with the lowest known Q_β value).

- idea on possibility of double alpha decay was considered (independently on Novikov 1979 and Poenaru&Ivascu 1985), half-lives for naturally occurring nuclides were estimated and the first experimental limit for this process was set for ^{209}Bi as $T_{1/2} > 2.9 \cdot 10^{20}$ yr.

(Co)author of about 200 scientific publications; list of papers in refereed journals is given below.

MAIN SCIENTIFIC PAPERS BY V.I. TRETYAK (March 2025)

1. Yu.G.Zdesenko et al. Preliminary results of study of neutrinoless binary β -decay of ^{76}Ge . Bull. Ac. Sci. USSR, phys. ser. 49(1985)27-32.
2. Yu.G.Zdesenko et al. Results of an underground experimental search for neutrinoless double β decay of ^{76}Ge . Sov. J. Nucl. Phys. 43(1986)678-684.
3. F.A.Danevich et al. Search for 2β decay of ^{116}Cd with the help of a $^{116}\text{CdWO}_4$ scintillator. JETP Lett. 49(1989)476-479.
4. E.Buchner et al. Rare decays of mercury nuclei. Sov. J. Nucl. Phys. 52(1990)193-197.
5. V.V.Vasilenko et al. Low-background apparatus for study of rare processes of atomic-nucleus decay. Instr. Exp. Techniques 33(1990)46-52.
6. D.Blum et al. Search for γ rays following $\beta\beta$ decay of ^{100}Mo to excited states of ^{100}Ru . Phys. Lett. B 275(1992)506-511.
7. F.A.Danevich et al. The research of 2β decay of ^{116}Cd with enriched $^{116}\text{CdWO}_4$ crystal scintillators. Phys. Lett. B 344(1995)72-78.
8. R.Arnold et al. Performance of a prototype tracking detector for double beta decay measurements. Nucl. Instrum. and Methods in Phys. Res. A 354(1995)338-351.
9. S.F.Burachas et al. A search for ^{160}Gd double beta decay using GSO scintillators. Phys. At. Nucl. 58(1995)153-157.
10. D.Dassie et al. Two-neutrino double- β decay measurement of ^{100}Mo . Phys. Rev. D 51(1995)2090-2100.
11. R.Arnold et al. Observation of two neutrino double beta decay of ^{116}Cd with the tracking detector NEMO-2. JETP Lett. 61(1995)170-174.
12. A.Sh.Georgadze et al. Search for α decay of naturally occurring tungsten isotopes. JETP Lett. 61(1995)882-886.
13. V.I.Tretyak, Yu.G.Zdesenko. Tables of double beta decay data. At. Data Nucl. Data Tables 61(1995)43-90.
14. A.Sh.Georgadze et al. Study of ^{116}Cd double beta decay with $^{116}\text{CdWO}_4$ scintillators. Phys. At. Nucl. 58(1995)1093-1102.
15. S.Ph.Burachas et al. Large volume CdWO_4 crystal scintillators. Nucl. Instrum. and Methods in Phys. Research A 369(1996)164-168.
16. A.Sh.Georgadze et al. Beta-decay of ^{113}Cd . Phys. At. Nucl. 59(1996)1-5.
17. A.Sh.Georgadze et al. Activities of radioactive contaminations in cadmium tungstate crystals. Instr. and Exp. Technique 39(1996)183-188.
18. A.Sh.Georgadze et al. Cadmium tungstate scintillators of large volume. Instr. and Exp. Technique 39(1996)359-363.
19. F.A.Danevich et al. Investigation of $\beta^+\beta^+$ and β^+/EC decay of ^{106}Cd . Z. Physik A 355(1996)433-437.
20. R.Arnold et al. Double- β decay of ^{116}Cd . Z. Physik C 72(1996)239-247.
21. A.Sh.Georgadze et al. The research of double β decay of ^{116}Cd and ^{160}Gd . Bull. Ac. Sciences, ser. fiz. 61(1997)761-768 (in Russian).
22. I.Kisel et al. Cellular automaton and elastic net for event reconstruction in the NEMO-2 experiment. Nucl. Instrum. and Methods in Phys. Res. A 387(1997)433-442.
23. A.Sh.Georgadze et al. Research of rare α and β decays with crystals of cadmium- and zinc-tungstate. Bull. Ac. Sciences, ser. fiz. 61(1997)2187-2193 (in Russian).
24. V.Kovalenko and NEMO Collaboration. Cellular automaton and elastic net for event reconstruction in the NEMO-2 experiment. Nucl. Instrum. and Methods in Phys. Res. A 389(1997)169-172.

25. R.Arnold et al. Measurement and control of the ^{214}Bi contamination in the $\beta\beta$ NEMO-2 experiment. Nucl. Instrum. and Methods in Phys. Res. A 401(1997)144-155.
26. NEMO Collaboration (presented by A.S.Barabash). Investigation of double beta decay of ^{82}Se and ^{96}Zr with tracking detector NEMO-2. Nucl. Phys. A 629(1998)517c-522c.
27. A.S.Barabash and NEMO Collaboration. NEMO double beta decay experiments. Czechoslovak J. of Phys. 48(1998)155-164.
28. T.Fazzini et al. Pulse-shape discrimination with CdWO_4 crystal scintillators. Nucl. Instrum. and Methods in Phys. Research A 410(1998)213-219.
29. R.Arnold et al. Double- β decay of ^{82}Se . Nucl. Phys. A 636(1998)209-223.
30. F.A.Danevich et al. Limits on Majoron modes of ^{116}Cd neutrinoless 2β decay. Nucl. Phys. A 643(1998)317-328.
31. P.Belli et al. New limits on $2\beta^+$ decay processes in ^{106}Cd . Astropart. Phys. 10(1999)115-120.
32. P.Belli et al. New experimental limit on the electron stability and non-paulian transitions in Iodine atoms. Phys. Lett. B 460(1999)236-241.
33. A.S.Barabash et al. NEMO double beta decay experiments. Phys. Atom. Nucl. 62(1999)2031-2038.
34. R.Arnold et al. Double beta decay of ^{96}Zr . Nucl. Phys. A 658(1999)299-312.
35. R.Arnold et al. Testing the Pauli exclusion principle with the NEMO-2 detector. Eur. Phys. J. A 6(1999)361-366.
36. P.Belli et al. Charge non-conservation restrictions from the nuclear levels excitation of ^{129}Xe induced by the electron's decay on the atomic shell. Phys. Lett. B 465(1999)315-322.
37. P.Belli et al. New limits on the nuclear levels excitation of ^{127}I and ^{23}Na during charge nonconservation. Phys. Rev. C 60(1999)065501, 7 p.
38. P.Belli et al. New limits on spin-dependent coupled WIMPs and on 2β processes in ^{40}Ca and ^{46}Ca by using low radioactive $\text{CaF}_2(\text{Eu})$ crystal scintillators. Nucl. Phys. B 563(1999)97-106.
39. F.Piquemal (for the NEMO Collaboration). Double-beta decay with the NEMO experiment: Status of NEMO 3 detector. Phys. Atom. Nuclei 63(2000)1222-1224.
40. F.A.Danevich et al. New phase of the ^{116}Cd 2β -decay experiment with $^{116}\text{CdWO}_4$ scintillators. Phys. Atom. Nuclei 63(2000)1229-1237.
41. O.A.Ponkratenko, V.I.Tretyak, Yu.G.Zdesenko. Event generator DECAY4 for simulation of double-beta processes and decays of radioactive nuclei. Phys. Atom. Nuclei 63(2000)1282-1287.
42. P.Belli et al. Quest for electron decay $e^- \rightarrow \nu_e \gamma$ with a liquid xenon scintillator. Phys. Rev. D 61(2000)117301, 4 p.
43. F.A.Danevich et al. New results of ^{116}Cd double β decay study with $^{116}\text{CdWO}_4$ scintillators. Phys. Rev. C 62(2000)045501, 9 p.
44. R.Bernabei et al. Search for the nucleon and di-nucleon decay into invisible channels. Phys. Lett. B 493(2000)12-18.
45. G.Bellini et al. High sensitivity quest for Majorana neutrino mass with the BOREX-INO counting test facility. Phys. Lett. B 493(2000)216-228.
46. G.Bellini et al. High sensitivity 2β decay study of ^{116}Cd and ^{100}Mo with the BOREX-INO counting test facility (CAMEO project). Eur. Phys. J. C 19(2001)43-55.
47. V.I.Tretyak, Yu.G.Zdesenko. Experimental limits on the proton life-time from the neutrino experiments with heavy water. Phys. Lett. B 505(2001)59-63.

48. F.A.Danevich et al. Quest for double beta decay of ^{160}Gd and Ce isotopes. Nucl. Phys. A 694(2001)375-391.
49. Yu.G.Zdesenko, O.A.Ponkratenko, V.I.Tretyak. High sensitivity GEM experiment on 2β decay of ^{76}Ge . J. Phys. G: Nucl. Part. Phys. 27(2001)2129-2146.
50. C.J.M.Longuemare (for the NEMO collaboration). The double β decay experiment NEMO-3. Part. Nucl. Lett. 3(2001)62-68.
51. G.Bellini et al. The CAMEO project: High sensitivity quest for Majorana neutrino mass with the BOREXINO counting test facility. Part. Nucl. Lett. 3(2001)116-130.
52. P.G.Bizzeti et al. Status of ^{116}Cd double β decay study with $^{116}\text{CdWO}_4$ scintillators. Part. Nucl. Lett. 6(2001)7-17.
53. P.Belli et al. New limits on 2β processes in ^{40}Ca and ^{46}Ca by using low radioactive $\text{CaF}_2(\text{Eu})$ crystal scintillators. Part. Nucl. Lett. 6(2001)18-25.
54. P.Belli et al. New experimental limits on the electron stability and excitation of nuclear levels in ^{23}Na , ^{127}I and ^{129}Xe induced by the electron decay on the atomic shell. Part. Nucl. Lett. 6(2001)58-68.
55. A.S.Barabash and NEMO Collaboration. NEMO Collaboration: Latest results and perspectives for the future. In: H.V.Klapdor-Kleingrothaus, "Sixty years of double beta decay", World Sci., 2001, p.1012-1018 (reprint of paper published in Proc. of the NEUTRINO'96 Conf., World Sci., 1997, p.374-380).
56. S.Ph.Burachas et al. Large volume CdWO_4 crystal scintillators. In: H.V.Klapdor-Kleingrothaus, "Sixty years of double beta decay", World Sci., 2001, p.1025-1029 (reprint of paper published in Nucl. Instrum. and Methods in Phys. Research A 369(1996)164-168).
57. V.I.Tretyak, Yu.G.Zdesenko. Tables of double beta decay data - an update. At. Data Nucl. Data Tables 80(2002)83-116.
58. A.A.Klimenko et al. Experimental limit on the charge non-conserving β decay of ^{73}Ge . Phys. Lett. B 535(2002)77-84.
59. R.Bernabei et al. Search for β and $\beta\beta$ decays in ^{48}Ca . Nucl. Phys. A 705(2002)29-39.
60. P.G.Bizzeti et al. Alpha decay of ^{180}W . Izvestiya AN, ser. fiz. 66(2002)630-635 (in Russian).
61. Yu.G.Zdesenko, F.A.Danevich, V.I.Tretyak. Has neutrinoless double β decay of ^{76}Ge been really observed? Phys. Lett. B 546(2002)206-215.
62. Yu.G.Zdesenko, V.I.Tretyak. To what extent does the latest SNO result guarantee the proton stability? Phys. Lett. B 553(2003)135-140.
63. F.A.Danevich et al. α activity of natural tungsten isotopes. Phys. Rev. C 67(2003)014310, 8 p.
64. F.A.Danevich et al. Two-neutrino 2β decay of ^{116}Cd and new half-life limits on 2β decay of ^{180}W and ^{186}W . Nucl. Phys. A 717(2003)129-145.
65. P.Belli et al. Performances of a CeF_3 crystal scintillator and its application to the search for rare processes. Nucl. Instrum. and Meth. in Phys. Research A 498(2003)352-361.
66. V.I.Tretyak, Yu.G.Zdesenko. New limit on the proton lifetime from neutrino experiments with heavy water. Phys. At. Nucl. 66(2003)514-516.
67. H.O.Back et al. New limits on nucleon decays into invisible channels with the BOREXINO counting test facility. Phys. Lett. B 563(2003)23-34.
68. F.A.Danevich et al. Search for 2β decay of cadmium and tungsten isotopes: Final results of the Solotvina experiment. Phys. Rev. C 68(2003)035501, 12 p.
69. P.G.Bizzeti et al. Double β -decay of ^{116}Cd . Izvestiya AN, ser. fiz. 67(2003)630-634 (in Russian).

70. P.G.Bizzeti et al. α -Decay of natural tungsten isotopes. *Izvestiya AN, ser. fiz.* 67(2003)635-641 (in Russian).
71. A.Sh.Georgadze et al. On the possibility to measure Solar neutrinos with Xenon detector. *Izvestiya AN, ser. fiz.* 67(2003)1518-1525 (in Russian).
72. V.I.Tretyak, V.Yu.Denisov, Yu.G.Zdesenko. New limits on di-nucleons decay into invisible channels. *JETP Letters* 79(2004)106-108.
73. Yu.G.Zdesenko, F.A.Danevich, V.I.Tretyak. Sensitivity and discovery potential of the future 2β decay experiments. *J. Phys. G: Nucl. Part. Phys.* 30(2004)971-981.
74. Yu.G.Zdesenko, F.A.Danevich, V.I.Tretyak. CAMEO project and discovery potential of the future 2β -decay experiments. *Phys. At. Nucl.* 67(2004)1974-1983.
75. S.I.Vasilyev et al. Experimental limit on probability of β decay of ^{73}Ge nucleus with non-conservation of electrical charge. *Izvestiya AN, ser. fiz.* 68(2004)1112-1116 (in Russian).
76. V.I.Tretyak et al. On the possibility to search for 2β decay of initially unstable (α/β radioactive) nuclei. *Europhys. Lett.* 69(2005)41-47.
77. C.M.Cattadori, M. De Deo, M.Laubenstein, L.Pandola, V.I.Tretyak. Observation of β decay of ^{115}In to the first excited level of ^{115}Sn . *Nucl. Phys. A* 748(2005)333-347.
78. Yu.G.Zdesenko et al. Scintillation properties and radioactive contamination of CaWO_4 crystal scintillators. *Nucl. Instrum. Meth. Phys. Res. A* 538(2005)657-667.
79. Yu.G.Zdesenko et al. CARVEL experiment with $^{48}\text{CaWO}_4$ crystal scintillators for the double β decay study of ^{48}Ca . *Astropart. Phys.* 23(2005)249-263.
80. R.Bernabei et al. A search for spontaneous emission of heavy clusters in the ^{127}I nuclide. *Eur. Phys. J. A* 24(2005)51-56.
81. F.A.Danevich et al. YAG:Nd crystals as possible detector to search for 2β and α decay of neodymium. *Nucl. Instrum. Meth. Phys. Res. A* 541(2005)583-589.
82. F.A.Danevich et al. ZnWO_4 crystals as detectors for 2β decay and dark matter experiments. *Nucl. Instrum. Meth. Phys. Res. A* 544(2005)553-564.
83. F.A.Danevich et al. Scintillation pulse shape discrimination with CaWO_4 , ZnWO_4 , and CdWO_4 crystal. *Functional Materials* 12(2005)269-273.
84. R.Bernabei et al. Performances and potentialities of a $\text{LaCl}_3\text{:Ce}$ scintillator. *Nucl. Instrum. Meth. Phys. Res. A* 555(2005)270-281.
85. F.A.Danevich et al. Application of PbWO_4 crystal scintillators in experiment to search for 2β decay of ^{116}Cd . *Nucl. Instrum. Meth. Phys. Res. A* 556(2006)259-265.
86. V.B.Brudanin et al. Search for double electron capture of ^{106}Cd in the TGV-2 experiment. *Izvestiya RAN, ser. fiz.* 70(2006)275-279 (in Russian).
87. L.Bardelli et al. Further study of CdWO_4 crystal scintillators as detectors for high sensitivity 2β experiments: Scintillation properties and pulse-shape discrimination. *Nucl. Instrum. Meth. Phys. Res. A* 569(2006)743-753.
88. R.Bernabei et al. Search for possible charge non-conserving decay of ^{139}La into ^{139}Ce with $\text{LaCl}_3(\text{Ce})$ scintillator. *Ukr. J. Phys.* 51(2006)1037-1043.
89. N.I.Rukhadze et al. Search for double electron capture of ^{106}Cd . *Phys. At. Nuclei* 69(2006)2117-2123.
90. C.M.Cattadori, M. De Deo, M.Laubenstein, L.Pandola, V.I.Tretyak. Beta decay of ^{115}In to the first excited level of ^{115}Sn : Potential outcome for neutrino mass. *Phys. At. Nuclei* 70(2007)127-132.
91. P.Belli et al. Intrinsic radioactivity of $\text{Li}_6\text{Eu}(\text{BO}_3)_3$ crystal and α decays of Eu. *Nucl. Instrum. Meth. Phys. Res. A* 572(2007)734-738.
92. P.Belli et al. Search for α decay of natural Europium. *Nucl. Phys. A* 789(2007)15-29.

93. K.Kroninger, L.Pandola, V.I.Tretyak. Study of the observation feasibility for the neutrino-accompanied double beta-decay of ^{76}Ge to the 0_1^+ -excited state of ^{76}Se using segmented Ge detectors. Ukr. J. Phys. 52(2007)1036-1044.
94. P.Belli et al. Investigation of β decay of ^{113}Cd . Phys. Rev. C 76(2007)064603, 10 p.
95. L.Bardelli et al. Pulse-shape discrimination with PbWO_4 crystal scintillators. Nucl. Instrum. Meth. Phys. Res. A 584(2008)129-134.
96. P.Belli et al. Search for 2β processes in ^{64}Zn with the help of ZnWO_4 crystal scintillator. Phys. Lett. B 658(2008)193-197.
97. A.N.Annenkov et al. Development of CaMoO_4 crystal scintillators for a double beta decay experiment with ^{100}Mo . Nucl. Instrum. Meth. Phys. Res. A 584(2008)334-345.
98. P.Belli et al. ^7Li solar axions: Preliminary results and feasibility studies. Nucl. Phys. A 806(2008)388-397.
99. P.Belli et al. Search for double- β decay processes in ^{108}Cd and ^{114}Cd with the help of the low-background CdWO_4 crystal scintillator. Eur. Phys. J. A 36(2008)167-170.
100. R.Bernabey et al. Production of high-pure Cd and ^{106}Cd for CdWO_4 and $^{106}\text{CdWO}_4$ scintillators. Metallofizika i Noveishije Tekhnologii 30(2008)477-486 (in Russian).
101. H.Kraus et al. ZnWO_4 scintillators for cryogenic dark matter experiments. Nucl. Instrum. Meth. A 600(2009)594-598.
102. F.A.Danevich, O.V.Ivanov, V.V.Kobychev, V.I.Tretyak. Heat flow of the Earth and resonant capture of solar ^{57}Fe axions. Kinemat. Phys. Cel. Bodies 25(2009)102-106.
103. F.A.Danevich et al. Ancient Greek lead findings in Ukraine. Nucl. Instrum. Meth. A 603(2009)328-332.
104. P.Belli et al. First limits on neutrinoless resonant 2ε captures in ^{136}Ce and new limits for other 2β processes in ^{136}Ce and ^{138}Ce isotopes. Nucl. Phys. A 824(2009)101-114.
105. P.Belli et al. Search for double beta decay of zinc and tungsten with low background ZnWO_4 crystal scintillators. Nucl. Phys. A 826(2009)256-273.
106. J.Argyriades et al. Measurement of the background in the NEMO 3 double beta decay experiment. Nucl. Instrum. Meth. A 606(2009)449-465.
107. O.P.Barinova et al. Intrinsic radiopurity of a Li_2MoO_4 crystal. Nucl. Instrum. Meth. A 607(2009)573-575.
108. P.Belli et al. Search for double- β decays of ^{96}Ru and ^{104}Ru by ultra-low background HPGe γ spectrometry. Eur. Phys. J. A 42(2009)171-177.
109. N.V.Bashmakova et al. $\text{Li}_2\text{Zn}_2(\text{MoO}_4)_3$ crystal as a potential detector for ^{100}Mo 2β -decay search. Functional Materials 16(2009)266-274.
110. O.P.Barinova et al. First test of Li_2MoO_4 crystal as a cryogenic scintillating bolometer. Nucl. Instrum. Meth. A 613(2010)54-57.
111. V.I.Tretyak. Semi-empirical calculation of quenching factors for ions in scintillators. Astropart. Phys. 33(2010)40-53.
112. P.Belli et al. Development of enriched $^{106}\text{CdWO}_4$ crystal scintillators to search for double β decay processes in ^{106}Cd . Nucl. Instrum. Meth. A 615(2010)301-306.
113. H.J.Kim et al. Neutrino-less double beta decay experiment using $\text{Ca}^{100}\text{MoO}_4$ scintillation crystals. IEEE Trans. Nucl. Sci. 57(2010)1475-1480.
114. P.Belli et al. New observation of $2\beta 2\nu$ decay of ^{100}Mo to the 0_1^+ level of ^{100}Ru in the ARMONIA experiment. Nucl. Phys. A 846(2010)143-156.
115. J.Argyriades et al. Results of the BiPo-1 prototype for radiopurity measurements for the SuperNEMO double beta decay source foils. Nucl. Instrum. Meth. A 622(2010)120-128.

116. F.A.Danevich et al. Feasibility study of PbWO_4 and PbMoO_4 crystal scintillators for cryogenic rare events experiments. Nucl. Instrum. Meth. A 622(2010)608-613.
117. R.Flack et al. Calorimeter R&D for the SuperNEMO double beta decay experiment. Nucl. Instrum. Meth. A 623(2010)255-257.
118. L.Gironi et al. Performance of ZnMoO_4 crystal as cryogenic scintillating bolometer to search for double beta decay of molybdenum. J. of Instrumentation 5(2010)P11007, 12 p.
119. R.Arnold et al. Probing new physics models of neutrinoless double beta decay with SuperNEMO. Eur. Phys. J. C 70(2010)927-943.
120. J.Argyriades et al. Spectral modeling of scintillator for the NEMO-3 and SuperNEMO detectors. Nucl. Instrum. Meth. A 625(2011)20-28.
121. P.Belli et al. Radioactive contamination of ZnWO_4 crystal scintillators. Nucl. Instrum. Meth. A 626&627(2011)31-38.
122. P.Belli et al. Search for 2β decay of cerium isotopes with CeCl_3 scintillator. J. Phys. G 38(2011)015103, 15 p.
123. S.J.Lee et al. The development of a cryogenic detector with CaMoO_4 crystals for neutrinoless double beta decay search. Astropart. Phys. 34(2011)732-737.
124. P.Belli et al. First observation of α decay of ^{190}Pt to the first excited level ($E_{exc} = 137.2$ keV) of ^{186}Os . Phys. Rev. C 83(2011)034603, 7 p.
125. P.Belli et al. First search for double β decay of dysprosium. Nucl. Phys. A 859(2011)126-139.
126. P.Belli et al. First search for double β decay of platinum by ultra-low background HP Ge γ spectrometry. Eur. Phys. J. A 47(2011)91, 8 p.
127. A.S.Barabash et al. Low background detector with enriched $^{116}\text{CdWO}_4$ crystal scintillators to search for double β decay of ^{116}Cd . JINST 06(2011)P08011, 24 p.
128. P.Belli et al. Final results of an experiment to search for 2β processes in zinc and tungsten with the help of radiopure ZnWO_4 crystal scintillators. J. Phys. G 38(2011)115107, 15 p.
129. P.Belli et al. Radioactive contamination of $\text{SrI}_2(\text{Eu})$ crystal scintillator. Nucl. Instrum. Meth. A 670(2012)10-17.
130. J.W.Beeman et al. A next-generation neutrinoless double beta decay experiment based on ZnMoO_4 scintillating bolometers. Phys. Lett. B 710(2012)318-323.
131. P.Belli et al. Search for ^7Li solar axions using resonant absorption in LiF crystal: Final results. Phys. Lett. B 711(2012)41-45.
132. P.Belli et al. Search for double- β decay processes in ^{106}Cd with the help of a $^{106}\text{CdWO}_4$ crystal scintillator. Phys. Rev. C 85(2012)044610, 12 p.
133. D.M.Chernyak et al. Random coincidence of $2\nu 2\beta$ decay events as a background source in bolometric $0\nu 2\beta$ decay experiments. Eur. Phys. J. C 72(2012)1989, 6 p.
134. J.W.Beeman et al. An improved ZnMoO_4 scintillating bolometer for the search for neutrinoless double beta decay of ^{100}Mo . J. Low Temp. Phys. 167(2012)1021-1028.
135. P.G.Bizzeti et al. Response of CdWO_4 crystal scintillator for few MeV ions and low energy electrons. Nucl. Instrum. Meth. A 696(2012)144-150.
136. J.H.So et al. Scintillation properties and internal background study of $^{40}\text{Ca}^{100}\text{MoO}_4$ crystal scintillators for neutrino-less double beta decay search. IEEE Trans. Nucl. Sci. 59(2012)2214-2218.
137. F.A.Danevich et al. Search for α decay of ^{151}Eu to the first excited level of ^{147}Pm using underground γ -ray spectrometry. Eur. Phys. J. A 48(2012)157, 6 p.

138. P.Belli et al. Radioactive contamination of $^7\text{LiI}(\text{Eu})$ crystal scintillators. Nucl. Instrum. Meth. A 704(2013)40-43.
139. F.Cappella et al. On the potentiality of the ZnWO_4 anisotropic detectors to measure the directionality of Dark Matter. Eur. Phys. J. C 73(2013)2276, 13 p.
140. P.Belli et al. First search for double- β decay of ^{184}Os and ^{192}Os . Eur. Phys. J. A 49(2013)24, 6 p.
141. P.Belli et al. Search for 2β decays of ^{96}Ru and ^{104}Ru by ultralow-background HPGe γ spectrometry at LNGS: Final results. Phys. Rev. C 87(2013)034607, 8 p.
142. R.Bernabei et al. New search for correlated e^+e^- pairs in the α decay of ^{241}Am . Eur. Phys. J. A 49(2013)64, 10 p.
143. D.M.Chernyak et al. Optical, luminescence and thermal properties of radiopure ZnMoO_4 crystals used in scintillating bolometers for double beta decay search. Nucl. Instrum. Meth. A 729(2013)856-863.
144. L.Cardani et al. Development of a Li_2MoO_4 scintillating bolometer for low background physics. JINST 08(2013)P100002, 13 p.
145. D.V.Poda et al. CdWO_4 crystal scintillators from enriched isotopes for double beta decay experiments. Rad. Meas. 56(2013)66-69.
146. R.Arnold et al. Investigation of double beta decay of ^{100}Mo to excited states of ^{100}Ru . Nucl. Phys. A 925(2014)25-36.
147. G.Angloher et al. EURECA Conceptual Design Report. Phys. Dark Universe 3(2014)41-74.
148. D.M.Chernyak et al. Rejection of randomly coinciding events in ZnMoO_4 scintillating bolometers. Eur. Phys. J. C 74(2014)2913, 6 p.
149. L.Berge et al. Purification of molybdenum, growth and characterization of medium volume ZnMoO_4 crystals for the LUMINEU program. JINST 09(2014)P06004, 18 p.
150. R.Arnold et al. Search for neutrinoless double-beta decay of ^{100}Mo with the NEMO-3 detector. Phys. Rev. D 89(2014)111101, 6 p.
151. P.Belli et al. Investigation of rare nuclear decays with BaF_2 crystal scintillator contaminated by radium. Eur. J. Phys. A 50(2014)134, 9 p.
152. P.Belli et al. Search for double beta decay of ^{136}Ce and ^{138}Ce with HPGe gamma detector. Nucl. Phys. A 930(2014)195-208.
153. A.S.Barabash et al. Enriched $\text{Zn}^{100}\text{MoO}_4$ scintillating bolometers to search for $0\nu 2\beta$ decay of ^{100}Mo with the LUMINEU experiment. Eur. Phys. J. C 74(2014)3133, 7 p.
154. V.Ya.Degoda et al. Luminescence of ZnMoO_4 crystals developed for the LUMINEU double beta decay experiment. Solid State Phenomena 230(2015)184-192.
155. O.G.Polischuk et al. Search for 2β processes in ^{106}Cd with $^{106}\text{CdWO}_4$ crystal scintillator. Functional Materials 22(2015)135-139.
156. E.Armengaud et al. Development and underground test of radiopure ZnMoO_4 scintillating bolometers for the LUMINEU $0\nu 2\beta$ project. JINST 10(2015)P05007, 19 p.
157. P.Belli et al. Search for long-lived superheavy eka-tungsten with radiopure ZnWO_4 crystal scintillator. Phys. Scripta 90(2015)085301, 6 p.
158. F.A.Danevich, V.V.Kobychev, V.I.Tretyak. Search for effects beyond the Standard Model of particles in low counting experiments. Chapter 7 in book: "Dark Energy and Dark Matter in the Universe" (ed. by V.Shulga), vol. 3: "Observational Manifestation and Experimental Searches", Kyiv, Akademperiodyka, 2015, 375 p. (pp. 245-335).
159. D.M.Chernyak et al. Effect of tungsten doping on ZnMoO_4 scintillating bolometer performance. Opt. Materials 49(2015)67-74.

160. R.Arnold et al. Result of the search for neutrinoless double- β decay in ^{100}Mo with the NEMO-3 experiment. *Phys. Rev. D* 92(2015)072011, 23 p.
161. F.Danevich, V.Kobychev, V.Tretyak. Discovery of neutrino oscillations as a step to unravel a structure of the Universe. *Viche* 23-24(2015)47-50 (in Ukrainian).
162. R.S.Boiko et al. Properties of neutrino and search for effects beyond the standard model. *Space Sci. and Technology* 4(2015)44-50 (in Ukrainian).
163. T.B.Bekker et al. Aboveground test of an advanced Li_2MoO_4 scintillating bolometer to search for neutrinoless double beta decay of ^{100}Mo . *Astropart. Phys.* 72(2016)38-45.
164. F.A.Danevich, V.V.Kobychev, V.I.Tretyak. Neutrinos are massive. *Visnyk Nat. Acad. Sci. Ukr.* 1(2016)20-29 (in Ukrainian).
165. P.Belli et al. Search for 2β decay of ^{106}Cd with an enriched $^{106}\text{CdWO}_4$ crystal scintillator in coincidence with four HPGe detectors. *Phys. Rev. C* 93(2016)045502, 9 p.
166. J.Y.Lee et al. A study of radioactive contamination of $^{40}\text{Ca}^{100}\text{MoO}_4$ crystals for the AMoRE experiment. *IEEE Trans. Nucl. Sci.* 63(2016)543-547.
167. R.Arnold et al. Measurement of the double-beta decay half-life and search for the neutrinoless double-beta decay of ^{48}Ca with the NEMO-3 detector. *Phys. Rev. D* 93(2016)112008, 9 p.
168. A.S.Barabash et al. Improvement of radiopurity level of enriched $^{116}\text{CdWO}_4$ and ZnWO_4 crystal scintillators by recrystallization. *Nucl. Instrum. Meth. A* 833(2016)77-81.
169. G.Angloher et al. New limits on double electron capture of ^{40}Ca and ^{180}W . *J. Phys. G* 43(2016)095202, 9 p.
170. A.S.Barabash et al. First test of an enriched $^{116}\text{CdWO}_4$ scintillating bolometer for neutrinoless double-beta-decay searches. *Eur. Phys. J. C* 76(2016)487, 7 p.
171. R.Arnold et al. Measurement of the $2\nu\beta\beta$ decay half-life of ^{150}Nd and a search for $0\nu\beta\beta$ decay processes with the full exposure from the NEMO-3 detector. *Phys. Rev. D* 94(2016)072003, 19 p.
172. R.Bernabei et al. Main results and perspectives on other rare processes with DAMA experiments. *Int. J. Mod. Phys. A* 31(2016)1642010, 36 p.
173. D.M.Chernyak et al. Rejection of randomly coinciding events in $\text{Li}_2^{100}\text{MoO}_4$ scintillating bolometers using light detectors based on the Neganov-Luke effect. *Eur. Phys. J. C* 77(2017)3, 7 p.
174. R.Arnold et al. Measurement of the $2\nu\beta\beta$ decay half-life and search for the $0\nu\beta\beta$ decay of ^{116}Cd with the NEMO-3 detector. *Phys. Rev. D* 95(2017)012007, 12 p.
175. A.Luqman et al. Simulations of background sources in AMoRE-I experiment. *Nucl. Instrum. Meth. A* 855(2017)140-147.
176. N.Dokania et al. New limit for the half-life of double beta decay of ^{94}Zr to the first excited state of ^{94}Mo . *Eur. Phys. J. A* 53(2017)74, 7 p.
177. A.S.Barabash et al. The BiPo-3 detector for the measurement of ultra low natural radioactivities of thin materials. *J. of Instrumentation* 12(2017)P06002, 40 p.
178. R.Arnold et al. Search for neutrinoless quadruple- β decay of ^{150}Nd with the NEMO-3 detector. *Phys. Rev. Lett.* 119(2017)041801, 6 p.
179. A.S.Barabash et al. Calorimeter development for the SuperNEMO double beta decay experiment. *Nucl. Instrum. Meth. A* 868(2017)98-108.
180. P.Belli et al. New limits on 2ε , $\varepsilon\beta^+$ and $2\beta^+$ decay of ^{136}Ce and ^{138}Ce with deeply purified cerium sample. *Eur. Phys. J. A* 53(2017)172, 8 p.
181. E.Armengaud et al. Development of ^{100}Mo -containing scintillating bolometers for a high-sensitivity neutrinoless double-beta decay search. *Eur. Phys. J. C* 77(2017)785, 25 p.

182. V.A.Zheltonozhsky et al. Precise measurement of energy of the first excited state of ^{115}Sn ($E_{exc} \simeq 497.3$ keV). *Europhys. Lett.* 121(2018)12001, 5 p.
183. A.Giuliani, F.A Danevich, V.I.Tretyak. A multi-isotope $0\nu 2\beta$ bolometric experiment. *Eur. Phys. J. C* 78(2018)272, 9 p.
184. F.A.Danevich, V.I.Tretyak. Radioactive contamination of scintillators. *Int. J. Mod. Phys. A* 33(2018)1843007, 42 p.
185. P.Belli et al. First search for 2ε and $\varepsilon\beta^+$ decay of ^{162}Er and new limit on $2\beta^-$ decay of ^{170}Er to the first excited level of ^{170}Yb . *J. Phys. G* 45(2018)095101, 14 p.
186. A.S.Barabash et al. Double beta decay of ^{150}Nd to the first excited 0^+ level of ^{150}Sm : Preliminary results. *Nucl. Phys. At. Energy* 19(2018)95-102.
187. R.Arnold et al. Final results on ^{82}Se double beta decay to the ground state of ^{82}Kr from the NEMO-3 experiment. *Eur. Phys. J. C* 78(2018)821, 15 p.
188. A.S.Barabash et al. Final results of the Aurora experiment to study 2β decay of ^{116}Cd with enriched $^{116}\text{CdWO}_4$ crystal scintillators. *Phys. Rev. D* 98(2018)092007, 16 p.
189. P.Belli et al. Half-life measurements of ^{212}Po with thorium-loaded liquid scintillator. *Nucl. Phys. At. Energy* 19(2018)220-226.
190. P.Belli et al. New development of radiopure ZnWO_4 crystal scintillators. *Nucl. Instrum. Meth. A* 935(2019)89-94.
191. R.Arnold et al. Detailed studies of ^{100}Mo two-neutrino double beta decay in NEMO-3. *Eur. Phys. J. C* 79(2019)440, 11 p.
192. P.Belli et al. First search for 2ε and $\varepsilon\beta^+$ processes in ^{168}Yb . *Nucl. Phys. A* 990(2019)64-78.
193. P.Belli, R.Bernabei, F.A.Danevich, A.Incicchitti, V.I.Tretyak. Experimental searches for rare alpha and beta decays. *Eur. Phys. J. A* 55(2019)140, 43 p.
194. V.Alenkov et al. First results from the AMoRE-Pilot neutrinoless double beta decay experiment. *Eur. Phys. J. C* 79(2019)791, 12 p.
195. P.Belli et al. First direct search for 2ε and $\varepsilon\beta^+$ decay of ^{144}Sm and $2\beta^-$ decay of ^{154}Sm . *Eur. Phys. J. A* 55(2019)201, 9 p.
196. A.Aliane et al. First test of a $\text{Li}_2\text{WO}_4(\text{Mo})$ bolometric detector for the measurement of coherent neutrino-nucleus scattering. *Nucl. Instrum. Meth. A* 949(2020)162784, 6 p.
197. I.C.Bandac et al. The $0\nu 2\beta$ -decay CROSS experiment: preliminary results and prospects. *JHEP* 01(2020)018, 31 p.
198. F.A.Danevich et al. First search for α decays of naturally occurring Hf nuclides with emission of γ quanta. *Eur. J. Phys. A* 56(2020)5, 10 p.
199. E.Armengaud et al. The CUPID-Mo experiment for neutrinoless double-beta decay: performance and prospects. *Eur. Phys. J. C* 80(2020)44, 15 p.
200. R.Arnold et al. Search for the double-beta decay of ^{82}Se to the excited states of ^{82}Kr with NEMO-3. *Nucl. Phys. A* 996(2020)121701, 21 p.
201. F.A.Danevich et al. First search for 2ε and $\varepsilon\beta^+$ decay of ^{174}Hf . *Nucl. Phys. A* 996(2020)121703, 14 p.
202. A.V.Rakhimov et al. Development of methods for the preparation of radiopure ^{82}Se sources for the SuperNEMO neutrinoless double-beta decay experiment. *Radiochim. Acta* 108(2020)87-97.
203. P.Belli et al. Measurements of ZnWO_4 anisotropic response to nuclear recoils for the ADAMO project. *Eur. J. Phys. A* 56(2020)83, 11 p.
204. V.I.Slisenko et al. (eds.). Institute for Nuclear Research of NASU. 50 years of Scientific Researches and Achievements (in Ukrainian). INR Kyiv (2020) 234 p.

205. D.L.Helis et al. Neutrinoless double-beta decay searches with enriched $^{116}\text{CdWO}_4$ scintillating bolometers. *J. Low Temp. Phys.* 199(2020)467-474.
206. E.Armengaud et al. Precise measurement of $2\nu\beta\beta$ decay of ^{100}Mo with the CUPID-Mo detection technology. *Eur. Phys. J. C* 80(2020)674, 10 p.
207. F.A.Danevich et al. Decay scheme of ^{50}V . *Phys. Rev. C* 102(2020)024319, 8 p.
208. P.Belli et al. Search for α decay of naturally occurring osmium nuclides accompanied by γ quanta. *Phys. Rev. C* 102(2020)024605, 10 p.
209. P.Belli et al. Search for double beta decay of ^{106}Cd with an enriched $^{106}\text{CdWO}_4$ crystal scintillator in coincidence with CdWO_4 scintillation counters. *Universe* 6(2020)182, 15 p.
210. K.Blaum, S.Eliseev, F.A.Danevich, V.I.Tretyak, S.Kovalenko, M.I Krivoruchenko, Yu.N.Novikov, J.Suhonen. Neutrinoless double-electron capture. *Rev. Mod. Phys.* 92(2020)045007, 61 p.
211. A.Armatol et al. Characterization of cubic $\text{Li}_2^{100}\text{MoO}_4$ crystals for the CUPID experiment. *Eur. Phys. J. C* 81(2021)104, 10 p.
212. A.Armatol et al. A CUPID $\text{Li}_2^{100}\text{MoO}_4$ scintillating bolometer tested in the CROSS underground facility. *JINST* 16(2021)P02037, 19 p.
213. R.Huang et al. Pulse shape discrimination in CUPID-Mo using principal component analysis. *JINST* 16(2021)P03032, 13 p.
214. P.Belli et al. The future role of inorganic crystal scintillators in dark matter investigations. *Instruments* 5(2021)16, 21 p.
215. E.Armengaud et al. New limit for neutrinoless double-beta decay of ^{100}Mo from the CUPID-Mo experiment. *Phys. Rev. Lett.* 126(2021)181802, 7 p.
216. I.C.Bandac et al. Phonon-mediated crystal detectors with metallic film coating capable of rejecting α and β events induced by surface radioactivity. *Appl. Phys. Lett.* 118(2021)184105, 6 p.
217. O.G.Polischuk et al. Double beta decay of ^{150}Nd to the first 0^+ excited level of ^{150}Sm . *Phys. Scripta* 96(2021)085302, 8 p.
218. P.Belli et al. New experimental limits on double-beta decay of osmium. *J. Phys. G* 48(2021)085104, 16 p.
219. P.Belli et al. The half-life of ^{212}Po . *Eur. Phys. J. A* 57(2021)215, 11 p.
220. A.Armatol et al. Novel technique for the study of pileup events in cryogenic bolometers. *Phys. Rev. C* 104(2021)015501, 7 p.
221. R.Arnold et al. Measurement of the distribution of ^{207}Bi depositions on calibration sources for SuperNEMO. *JINST* 16(2021)T07012, 17 p.
222. V.I.Tretyak. Spontaneous double alpha decay: First experimental limit and prospects of investigation. *Nucl. Phys. At. Energy* 22(2021)121-126.
223. R.Arnold et al. Search for periodic modulations of the rate of double- β decay of ^{100}Mo in the NEMO-3 detector. *Phys. Rev. C* 104(2021)L061601, 6 p.
224. F.A.Danevich et al. New limits on double-beta decay of ^{190}Pt and ^{198}Pt . *Eur. Phys. J. C* 82(2022)29, 12 p.
225. A.Leoncini et al. New results on search for 2β decay processes in ^{106}Cd using $^{106}\text{CdWO}_4$ scintillator. *Phys. Scripta* 97(2022)064006, 9 p.
226. P.Belli et al. Search for naturally occurring seaborgium with radiopure $^{116}\text{CdWO}_4$ crystal scintillators. *Phys. Scripta* 97(2022)085302, 9 p.
227. J.W.Beeman et al. Radiopurity of a kg-scale PbWO_4 cryogenic detector produced from archaeological Pb for the RES-NOVA experiment. *Eur. Phys. J. C* 82(2022)692, 9 p.

228. K.Alfonso et al. Optimization of the first CUPID detector module. Eur. Phys. J. C 82(2022)810, 9 p.
229. C.Augier et al. Final results on the $0\nu\beta\beta$ decay half-life limit of ^{100}Mo from the CUPID-Mo experiment. Eur. Phys. J. C 82(2022)1033, 20 p.
230. A.F.Leder et al. Determining g_A/g_V with high resolution spectral measurements using an LiInSe_2 bolometer. Phys. Rev. Lett. 129(2022)232502, 8 p.
231. V.Alenkov et al. Alpha backgrounds in the AMoRE-Pilot experiment. Eur. Phys. J. C 82(2022)1140, 13 p.
232. P.Belli et al. The ADAMO project for the dark matter directionality approach. Int. J. Mod. Phys. A 37(2022)2240013, 11 p.
233. G.Fantini et al. Machine learning techniques for pile-up rejection in cryogenic calorimeters. J. Low Temp. Phys. 209(2022)1024-1031.
234. A.Leoncini et al. Study of dark matter with directionality approach using ZnWO_4 crystal scintillators. Letters in High En. Phys. (2022)348, 4 p.
235. J.W.Beeman et al. Characterization of a kg-scale archaeological lead-based PbWO_4 cryogenic detector for the RES-NOVA experiment. Appl. Rad. Isot. 194(2023)110704, 7 p.
236. C.Augier et al. New measurement of double- β decays of ^{100}Mo to excited states of ^{100}Ru with the CUPID-Mo experiment. Phys. Rev. C 107(2023)025503, 20 p.
237. I.C.Bandac et al. $\text{Li}_2^{100\text{depl}}\text{MoO}_4$ scintillating bolometers for rare-event search experiments. Sensors 23(2023)5465, 16 p.
238. K.Alfonso et al. Twelve-crystal prototype of Li_2MoO_4 scintillating bolometers for CUPID and CROSS experiments. JINST 18(2023)P06018, 26 p.
239. K.Alfonso et al. CUPID: The next-generation neutrinoless double beta decay experiment. J. Low Temp. Phys. 211(2023)375-383.
240. K.Alfonso et al. A first test of CUPID prototypal light detectors with NTD-Ge sensors in a pulse-tube cryostat. JINST 18(2023)P06033, 20 p.
241. C.Augier et al. The background model of the CUPID-Mo $0\nu\beta\beta$ experiment. Eur. Phys. J. C 83(2023)675, 24 p.
242. C.Augier et al. Measurement of the $2\nu\beta\beta$ decay rate and spectral shape of ^{100}Mo from the CUPID-Mo experiment. Phys. Rev. Lett. 131(2023)162501, 7 p.
243. A.Ahmine et al. Test of $^{116}\text{CdWO}_4$ and Li_2MoO_4 scintillating bolometers in the CROSS underground facility with upgraded detector suspension. JINST 18(2023)P12004, 24 p.
244. X.Aguerre et al. Measurement of the double- β decay of ^{150}Nd to the 0_1^+ excited state of ^{150}Sm in NEMO-3. Eur. Phys. J. C 83(2023)1117, 12 p.
245. P.Belli et al. Search for alpha and double alpha decays of natural Nd isotopes accompanied by gamma quanta. Eur. Phys. J. A 60(2024)46, 11 p.
246. A.Agrawal et al. Background study of the AMoRE-pilot experiment. Astropart. Phys. 162(2024)102991, 10 p.
247. A.Agrawal et al. Radioassay of the materials for AMoRE-II experiment. Frontiers in Physics 12(2024) 1362209, 15 p.
248. V.I.Slisenko et al. To the 25th anniversary of the journal “Nuclear Physics and Atomic Energy”. Nucl. Phys. At. Energy 25(2024)194-199.
249. P.Belli et al. Final results of the measurement to search for rare decays of naturally occurring osmium isotopes with ultra-low background gamma-ray spectrometry. Eur. Phys. J. A 60(2024)150, 17 p.

250. F.T.Avignone III et al. Development of large-volume $^{130}\text{TeO}_2$ bolometers for the CROSS 2β decay search experiment. JINST 19(2024)P09013, 22 p.
251. D.Auguste et al. A novel mechanical design of a bolometric array for the CROSS double-beta decay experiment. JINST 19(2024)P09014, 30 p.
252. C.Augier et al. Searching for beyond the Standard Model physics using the improved description of ^{100}Mo $2\nu\beta\beta$ decay spectral shape with CUPID-Mo. Eur. Phys. J. C 84(2024)925, 12 p.
253. F.A.Danevich, V.V.Kobychev, B.M.Kropivnyansky, V.I.Tretyak. To the 80th anniversary of Yuri Georgiiovych Zdesenko (not very formal memoirs). Nucl. Phys. At. Energy 25(2024)299-302.
254. A.Armatol et al. BINGO innovative assembly for background reduction in bolometric $0\nu\beta\beta$ experiments. Nucl. Instrum. Meth. A 1069(2024)169936, 14 p.
255. B.Pritychenko, V.I.Tretyak. Comprehensive review of 2β decay half-lives. At. Data Nucl. Data Tables 161(2025)101694, 21 p.
256. A.Agrawal et al. Projected background and sensitivity of AMoRE-II. Eur. Phys. J. C 85(2025)9, 14 p.
257. A.Agrawal et al. Development of MMC-based lithium molybdate cryogenic calorimeters for AMoRE-II. Eur. Phys. J. C 85(2025)172, 13 p.
258. A.S.Barabash et al. Double-beta decay of ^{150}Nd to excited levels of ^{150}Sm . Eur. Phys. J. C 85(2025)174, 30 p.
259. A.Agrawal et al. Improved limit on neutrinoless double beta decay of ^{100}Mo from AMoRE-I. Phys. Rev. Lett. 134(2025)082501, 8 p.
260. F.A.Danevich et al. Search for spontaneous fission of ^{234}U , ^{235}U , ^{236}U , and ^{238}U by gamma spectrometry. Eur. Phys. J. A 61(2025)46, 14 p.